

Business Improvement District (BID) Board

AGENDA

City Hall, 101 S. Second Street, Black River Falls, WI

Thursday, August 29, 2024 – 6:00pm

Join Zoom Meeting:

<https://us02web.zoom.us/j/88184016801?pwd=Jr0JASRFNX2bXLgqK4hNrNIWzoNTGW.1>

OR Dial: 1 312 626 6799

Meeting ID: 881 8401 6801

Passcode: downtown

1. Call to Order
2. Roll Call
3. Connect Communities Agreement – Action
4. Consider applications for façade and sign grant programs – Action
5. Funding request for Halloween candy and large pumpkin – Action
6. Decorative street lamps – Action
7. Recommendation for organization to implement the 2024 BID Operating Plan – Action
8. Set next meeting date and time if applicable – Action
9. Adjourn

Posted: August 16, 2024



August 12, 2024

Attn: Brad Chown

RE: Connect Communities Agreement #AL2295 between the Wisconsin Economic Development Corporation ("WEDC") and City of Black River Falls ("Local Organization").

Dear Brad Chown:

Congratulations! WEDC has determined that the City of Black River Falls, your Local Organization, is eligible to participate in the Connect Communities Program from July 1, 2024, to June 30, 2025. By signing and returning this letter agreement to the WEDC and paying the participation fee outlined below, the Local Organization agrees to the following terms.

As a participant in the Connect Communities Program, the Local Organization shall:

- Pay WEDC the annual participation fee of Two Hundred Dollars (\$200);
- Actively participate in the Connect Communities Program, by attending a minimum of Two (2) training opportunities offered by WEDC during the year; and
- Submit an annual performance report as required by WEDC, in such form as required by WEDC.

WEDC shall provide the following services to the Local Organization:

- Designate staff to liaise with the Local Organization;
- Provide an on-line communication tool for participants in the Connect Communities Program; and
- Plan and implement workshops and training sessions on downtown revitalization topics based on the needs of the Connect Communities and Wisconsin Main Street program participants.

This letter agreement will take effect when WEDC receives both the Two Hundred Dollar (\$200) participation fee and this letter agreement, signed, by the Local Organization.

Sincerely,

A handwritten signature in black ink, appearing to read "Melissa L. Hughes", written over a horizontal line.

Melissa L. Hughes,
Secretary and CEO

ACKNOWLEDGED & AGREED TO BY:

By: _____
Jay Eddy,
Mayor

Date

By signing this agreement, the signer attests that he/she is fully authorized to execute and deliver this letter agreement on behalf of the Local Organization.

LOOK FORWARD ►

**INVOICE**

Wisconsin Economic Development Corporation
2352 South Park St, Ste 303
Madison, WI 53713
finance@wedc.org

INVOICE #: **INV-007729**
DATE: 08/12/2024
DUE DATE: 09/12/2024

TOTAL AMOUNT: \$200.00
TOTAL DUE: \$200.00

BILL TO: Black River Falls Downtown Association
101 South Second Street
Black River Falls, WI 54615

DESCRIPTION / MEMO	AMOUNT
Connect Communities FY25 Participation Fee	\$200.00
TOTAL AMOUNT:	\$200.00

PAYMENT DETAILS:

Customer ID - Name: C-00000509 - Black River Falls Downtown Association
Invoice #: INV-007729

CHECK REMIT TO:

Wisconsin Economic Development Corporation
P.O. Box 78229
Milwaukee, WI 53278-0229

ACH INFORMATION:

Routing Number: 075000022
Account Number: 182380519419

TO PAY ONLINE, GO TO

<https://app02.us.bill.com/p/wisconsineconomicdevelopmentcorporation>

Business Improvement District - Signage Grant Application

* Indicates Required Fields

Business Name:* Love On Your Home**Name:*** First: Jane Last: Tande**Address:*** Street Address: 131 Main Street

Address Line 2: _____

City/State/Zip: Black River Falls**Phone:*** 715-896-2540**Email:*** jane@loveonyourhome.com**Project Designer:*** D+S Popp Auto Body**Name of Building Owner ***First: Jane Last: TandePhone: 715-896-2540 Email: jane@loveonyourhome.com**Proposed Project Start Date:*** 6/1/2024**Proposed Completion Date:*** 8/1/2024**Amount Requested:*** 1,000**Project Description:***

Adding Sign to Main Street Building.

* Indicates Required Fields

The following documents are **REQUIRED** for **ALL** applications:
(Check all that are attached)

- ☒ Building permit or documentation confirming a building permit is not required.
- ☒ Copy of signed contractor's estimate or a copy of itemized project cost estimate prepared by building or business owner.
- ☒ Copy of rendered or photographic description of the improvement project.

If applicant is not the property owner, the following documents is also **REQUIRED**:

- ☐ Copy of letter of permission from building owner for the proposed project.

By signing below, I/We affirm that the information submitted herein is true and accurate to the best of my/our knowledge and acknowledge that this is a reimbursement grant program and therefore, if awarded, grant funds will not be distributed until the work is completed and all invoices are paid.

Applicant:

Signature:*

Jane Tande

Print Name:*

Jane Tande

Date:*

7/3/2024

Co-Applicant

Signature: _____

Print Name: _____

Date: _____

SITE INFO	
SUBDIVISION	
LOT No: BLACK RIVER	BLOCK No: BLACK RIVER
ZONING DISTRICT:	
PARCEL No:	
1/4, 1/4, of Section , T N, R	
SETBACKS	
FRONT:	REAR:
LEFT:	RIGHT:

INSPECTION			
PHASE	ROUGH	FINAL	EROSION
Footing			
Foundation			
Basement Tile			
Construction			
Plumbing			
Heat/Vent/AC			
Electrical			
Insulation			
Insulation			

CONTRACTORS		
NAME	CREDENTIAL#	PHONE
Const: OWNER	0000000	(000) 000-0000
HVAC:		
Electrical:		
Plumbing:		

Work shall not proceed until the Inspector has approved the various stages of construction or two business days have elapsed since the day of inspection.

Permit expiration date: 6/3/2026

WISCONSIN UNIFORM

FORM

BUILDING

PERMIT: 24-0043-27-

Affix to permit (when applicable) Seal

☐ Constr.
 ☐ Electric
 ☐ Erosion Control
 ☐ HVAC
 ☐ Plumbing
 ☒ Other

Project: SIGN

Issued To	Owner: Travis Tande	Phone: (715) 896-
	Building Site: 131 Main St.,	Address: Black River Falls, WI, 54615
Issued By	PERSON ISSUING: ADAM PILLARD LICENSE 1167642#	Phone: (608) 697-
	DATE ISSUED: 6/3/2024	

Comments :Follow all sign ordinances

SBD-5824 (R.05/2007)

WI Permit Seal No.

NOTICE OF NONCOMPLIANCE : This issuing jurisdiction shall not require the applicant in writing or electronically of any violations to be corrected. Any violations, except erosion control ones, shall be corrected within 30 days of notification, unless extension time is granted.

CITY OF BLACK RIVER FALLS
101 S SECOND ST
BLACK RIVER FALLS, WI 54615

Receipt Nbr: 47111
Date: 6/03/2024

RECEIVED FROM TRAVIS TANDE \$55.00


<u>Type of Payment</u>	<u>Description</u>	<u>Amount</u>
Accounting	BUILDING PERMITS/GENERAL ENG	55.00
	BLDG PERMIT 24-0043	
Grand Total		55.00
Receipt Memo:	BLDG PERMIT 24-0043	



x Type a command

MODEL

SAMSUNG



Popps Auto Body LLC
116 E. 2nd St.
Black River Falls, WI 54615
Business Phone: (715) 284-5120
poppsautobodyllc@gmail.com

Estimate

Est # 625
ID # 14720878
Estimator: Jeremy Popp

Vehicle Info

Owner
travis tande
(715) 896-6621

Insurance Company
Inspection Date: 07/02/2024

Shop Info
Tax ID: 99-1645401

	Oper	Description	Part Number	Price	Labor
OTHER					
1	Replace	PAINTING SIGN AND BRACKET			1 hrs. Cleanup 3 hrs. Paint panel 1.5 hrs. Refinish
		1.5 hrs. 2 Tone Allow.			

Totals

Type	Labor Time	Cost	Total	Taxable
Cleanup Labor	1.0	\$75.00	\$75.00	✓
Paint Labor	4.5	\$75.00	\$337.50	✓
Paint Supplies	4.5	\$56.00	\$252.00	✓
Taxable Amount			\$664.50	
Tax	0%		\$0.00	
Grand Total			\$664.50	

*Paid
Jeremy Popp*

D&S Manufacturing - \$405.23 Aluminum Plate and laser cut steel.

Fast Metals - \$180.06 Aluminum Square tube.

Troy Hoff - \$150 Welder.

Popp's - \$664.50 Painted sign.

Hardware - \$150.00 Threaded rod, nuts and washers.



Integrated Plate Metal Fabrication and Welding

SALES RECEIPT

301 East Main Street- Black River Falls, WI 54615

Date: 04/19/2024

Sold TO TRAVIS TANDE

Cash/check- PAYABLE AT
Becki Dolesy's office

Qty	Item #	Description	Price	Total
1		JOB# 1099639	299.22	299.22
		SALES TAX		16.46
		TOTAL		\$315.68



D&S
Manufacturing

Integrated Plate Metal Fabrication and Welding

SALES RECEIPT

301 East Main Street- Black River Falls, WI 54615

Date: 02/22/2024

Sold TO TRAVIS TANDE

Cash/check- PAYABLE AT
Becki Dolesy's office

Qty	Item #	Description	Price	Total
24"		1"x6" ALUM BAR STOCK-TOOLING	3.10	74.40
		SALES TAX		4.09
		TOTAL		\$78.49



D&S
Manufacturing

Integrated Plate Metal Fabrication and Welding

SALES RECEIPT

301 East Main Street- Black River Falls, WI 54615

Date: 02/15/2024

Sold TO TRAVIS TANDE

Cash/check- PAYABLE AT
Becki Dolesy's office

Qty	Item #	Description	Price	Total
60SF		A-71-233 87.3LBS	.12/LB	10.48
		SALES TAX		.58
		TOTAL		\$11.06

Travis Tande

From: Travis Tande <tandetravis@gmail.com>
Sent: Tuesday, April 23, 2024 7:15 AM
To: Travis Tande



 Hide order summary ^ \$180.06

1

2" X 2" X .250 WALL
SQUARE TUBE 6061-T6

\$51.58

1

2" X 2" X .250 WALL
SQUARE TUBE 6061-T6

\$86.78

Subtotal	\$138.36
Discount  NEWMTL10	- \$13.83
Shipping	\$46.14
Taxes	\$9.39

Total USD **\$180.06**



Sent from my iPhone

Business Improvement District Reimbursement Grants

Reimbursement grants are available to local business and property owners in the downtown Black River Falls Business Improvement District (BID). Grants are for exterior rehabilitation to existing commercial buildings and signage within the BID. Rehabilitations and signs must be in accordance with the City of Black River Falls design guidelines.

Grants will provide a business or property owner reimbursement up to a maximum of \$1,000 per project for facade improvement.

Invoices and proof of payment are a requirement and must be submitted with the application or provided prior to grant funding disbursement.

Only one signage grant and one façade grant may be awarded per assessed address per calendar year of January 1 to December 31.

Building and Signage Permits

Building permits may be required by the City of Black River Falls.

Grant applications should either include a building permit with the application or documentation from the building inspector for the City of Black River Falls indicating no permit is required.

Applications will not be approved without this information included.

To obtain permits or see if a permit is required please contact the City of Black River Falls.

Funding

Grant Applications will be made available on an annual basis until all funds have allocated.

A limited amount of funding is available under this program and funds will be awarded on a first come, first served basis.

Applications

Applications are available on the City of Black River falls website under the "Forms" tab.

Property owners or their business tenants may apply.

If you are unable to access the application(s) online, contact us to have an application emailed to you. Email: city.admin@blackriverfallswi.gov Phone: 715-284-2315

Downtown Trick or Treating \$925

- Pumpkin \$250

- Guess the Weight Prizes \$225

- Candy \$500 (did \$350 last year and ran out in less than an hour) business DO have to buy their own as well

Small Business Saturday \$1,200

- At least 40 businesses x \$30 each, last year we did 36 businesses at \$1080 total

Christkindl \$4,500-5,000 depending on animals

- Chamber of Commerce \$200

 - Sponsor Letters (copies, stamps, envelopes, labels, etc.) \$130 last year

 - Copies \$70 (full color save the dates, princess applications, soup ballots, window decorating, etc.)

- The Print Shop \$400

 - Posters (Christkindl \$176 last year + add maps back)

- Melanie Berg \$400

 - Horse-Drawn Trolley Rides

- Animals

 - Reindeer ~ add back in this year? \$1,400 last I checked

 - Lyall alpacas?

 - Sarah Lindow goats?

- Coronation \$1,225 last year, maybe \$1,400?

 - Reflections on Water \$800 last year crowns, sashes, parade banners, hoodies, décor, judges gifts, craft for tea ~ will be a little higher this year

 - Kellie Gazdecki \$300 last year for food for interviews and princess tea

 - Smores \$125 last year

 - \$50 gift card to wherever we hold the coronation (last year Vinny)

- Window Decoration Winners \$175 last year

- Photographer gift \$65 last year

- Tree Lighting

 - Northern donates tree

 - Carolers are free

 - Maybe some new lights and an extension cord, \$100?

- Raffles \$500

 - We tried donations but it was just easier to buy the prizes and tickets ~broke even the last 2 years, not really a money-maker

- Parade \$100 for sure

VFW \$100 donation to lead us

Prize for best float? Cash prize or chamber bucks?

Soup Contest \$550

Supplies \$200 last year ~ we used disposable cupcake tins for sampling,
spoons, crackers, napkins

CCU Generator is free

Prizes \$350 last year (1st 2nd 3rd fan favorite)

Community Band \$100?

We've donated to them every year they have come and played, always
depends on the temperature for them

Warming Kettles \$100?

Firewood

Vendors this year?

Kevin LaValley

From: Terry Roth <Terry@frescoinc.net>
Sent: Monday, August 8, 2022 2:34 PM
To: Kevin LaValley
Cc: Steve Stanius
Subject: 08-08-22 King pole, arm and fixtures for Black River Falls Wisc

Hi Kevin, Just picked up your VM... I have asked King to see if price is the same for ballast assemblies... I will let you know when I hear back from them.

Thanks,

Terry Roth
Fresco Inc.
3600 Arrowhead Drive
Unit #4
Medina, MN 55340
763-559-7071 Office
612-791-1901 Cell

m- 7
m- 5
m- 3
mid light

From: Terry Roth
Sent: Tuesday, April 5, 2022 11:21 AM
To: klavalley@brfmu.org
Cc: Steve Stanius <SStanius@frescoinc.net>
Subject: 04-05-22 King pole, arm and fixtures for Black River Falls Wisc

Hi Kevin,

Finally got this all put together..

1. Attached drawing is the complete structure using HPS light source.
2. Pole #KM19FF-10-DR-FALLS River Brown.. \$2995.00 each.
3. Double Arm #KA63T-2-FALLS River Brown.. \$1850 each.
4. HPS Fixture complete #K199-IAR-V-100-MOG-HPS-120-MT-K12-PR-GR-#4-FALLS River Brown... \$1975 each. X2
5. LED Version... ##K199R-R1AR-V-60(SSL)-1042—120:277-K14-PR-4K-TB-GR-#4-FALLS River Brown.. \$1975 each.
6. HPS fixture GLOBE only #199-IAR-GR-PR-#4 s/f K12.. \$630 each.
7. HPS Ballast assembly only—Plug and Play.. #100(MOG)-HPS-120 s/f K12-c/w refractor.. \$650 each.
8. Capital only for HPS fixture #K12-FALLS River Brown.. \$590 each..

Plus Freight.. Lead time currently running 10-13 weeks.

Let me know if you want me to order anything for you.

Thanks ,

Terry Roth
Fresco Inc.
3600 Arrowhead Drive
Unit #4

\$ 8790.00

2990.00
1850.00
1975.00
1975.00
\$ 8790.00
Plus Labor














REV.	ALTERATION	DATE	BY

LUMINAIRE SPECIFICATIONS

CATALOGUE NO.: K199-IAR-V-100(MOG)
-HPS-120-K12-GR-PR-#4
QUANTITY: 6
GLOBE MOUNTING: SET SCREW
OPTICAL SYSTEM: INTERNAL ACRYLIC RIPPLED
IES CLASS: TYPE V
WATTAGE: 100W
SOCKET TYPE: MOGUL
LIGHT SOURCE: HIGH PRESSURE SODIUM
LINE VOLTAGE: 120V
POLE ADAPTOR: K12
OPTIONS: TWISTLOCK RECEPTACLE
(PHOTO EYE BY OTHERS)
GENERAL ELECTRIC RING
#4 FINIAL
ANSI S54 LAMP BY OTHERS

BALLAST SPECIFICATIONS

	SUPPLIED	ALTERNATE
BALLAST TYPE:	HX-HPF	HX-HPF
BALLAST MANU.:	UNIVERSAL	ADVANCE
CATALOGUE NO.:	S100MLTLC3M	71A8091

OPTIONS


QUICK DISCONNECT ☐ PLEASE SELECT ONE
TERMINAL BLOCK ☐
OTHER:

ARM SPECIFICATIONS

CATALOGUE NO.: KA63-T-2
QUANTITY: 3
MATERIAL: CAST ALUMINUM
PAINT: BLACK RIVER FALLS BROWN

POLE SPECIFICATIONS

CATALOGUE NO.: KM19FF-10-DR
QUANTITY: 3
MATERIAL: FLUTED FORMED ALUM. SHAFT
CAST ALUM. BASE
PAINT: BLACK RIVER FALLS BROWN
SHAFT TOP: 4 1/2"
SHAFT BUTT: 5 1/2"
POLE HGT.: 10' 0"
ANCHOR BOLTS: (4) 1" x 38"L (BY KING)
BOLT CIRCLE: 12" ø




CUSTOMER APPROVAL & DATE:

* Ref: Past order 32641
for Color Match *

CUSTOMER ORDER No:
5965
STRESSCRETE ORDER No:
-
KING CANADA ORDER No:
13027
KING U.S. ORDER No:
37209

  King Luminaire • Stresscrete • Est. 1953 STRESSCRETE GROUP		Manufacturing Locations: Burlington, Ontario 1-800-268-7809 Northport, Alabama 1-800-435-6563 Atchison, Kansas 1-800-837-1024 Jefferson, Ohio 1-800-268-7809		
		PROJECT/CUSTOMER: BLACK RIVER FALLS		
DRAWN BY: M.L.	AT: SC1	CHECKED BY: 	DATE: 4/17/08	REVISION:
DRAWING TYPE: APPROVAL DRAWING		DRAWING NUMBER: 37209-1		

REV.	ALTERATION	DATE	BY



LUMINAIRE SPECIFICATIONS

CATALOGUE NO.: K199-IAR-V-100(MOG)
-HPS-120-K12-GR-PR-#4

QUANTITY:
GLOBE MOUNTING: SET SCREW
OPTICAL SYSTEM: INTERNAL ACRYLIC RIPPLED
IES CLASS: TYPE V
WATTAGE: 100W
SOCKET TYPE: MOGUL
LIGHT SOURCE: HIGH PRESSURE SODIUM
LINE VOLTAGE: 120V
POLE ADAPTOR: K12
OPTIONS: TWISTLOCK RECEPTACLE
(PHOTO EYE BY OTHERS)
GENERAL ELECTRIC RING
#4 FINIAL

ANSI S54 LAMP BY OTHERS

BALLAST SPECIFICATIONS

	SUPPLIED	ALTERNATE
BALLAST TYPE:	HX-HPF	HX-HPF
BALLAST MANU.:	UNIVERSAL	ADVANCE
CATALOGUE NO.:	S100MLTLC3M	71A8091

OPTIONS


QUICK DISCONNECT ☐ PLEASE SELECT ONE
TERMINAL BLOCK ☐
OTHER:

FOR WIRING DIAGRAM SEE
DRAWING 209B0250

CUSTOMER APPROVAL & DATE:

CUSTOMER ORDER No:
2965
STRESSCRETE ORDER No:
-
KING CANADA ORDER No:
13027
KING U.S. ORDER No:
37209

 		Manufacturing Locations: Burlington, Ontario 1-800-268-7809 Northport, Alabama 1-800-435-6563 Atchison, Kansas 1-800-837-1024 Jefferson, Ohio 1-800-268-7809	
King Luminaire • StressCrete • Est. 1953 STRESSCRETE GROUP			
PROJECT/CUSTOMER: BLACK RIVER FALLS			
DRAWN BY:	AT:	CHECKED BY:	DATE:
M.L.	SC1		4/17/08
DRAWING TYPE:			DRAWING NUMBER:
APPROVAL DRAWING			37209-3



REV.	ALTERATION	DATE	BY

LUMINAIRE SPECIFICATIONS

CATALOG NO.: K199R-R1AR-V-60(SSL)
-1042-120-K14-PR-GR

QUANTITY:

OPTICAL SYSTEM: REFRACTIVE ARRAY ACRYLIC RIPPLED
TYPE V

IES CLASS.: 60W (1042 SERIES)

INPUT WATTAGE: SOLID STATE LIGHTING

LINE VOLTAGE: 120V

LIGHT SOURCE: LIGHT EMITTING DIODE

CCT/DIODE: 4000K/HE5

POLE ADAPTOR: K14

PAINT: BLACK RIVER FALLS BROWN

OPTIONS: GENERAL ELECTRIC RING
TWISTLOCK RECEPTACLE
(PHOTO-EYE BY OTHERS)

OPTIONS

QUICK DISCONNECT ☒

OTHER: 540 JOULE @ 2mS 20kA-8/20uS
SURGE PROTECTION

CUSTOMER APPROVAL & DATE: _____



King Luminaire • StressCrete • Est. 1953

**STRESSCRETE
GROUP**

Manufacturing Locations:

Burlington, Ontario 1-800-268-7809

Northport, Alabama 1-800-435-6563

Atchison, Kansas 1-800-837-1024

Jefferson, Ohio 1-800-268-7809

PROJECT/CUSTOMER:
BLACK RIVER FALLS

CUSTOMER ORDER No:

STRESSCRETE ORDER No:

DRAWN BY:

SHAUN C

AT:

SC3

CHECKED BY:

DATE:

12-23-15

REVISION:

DRAWING TYPE:

CONCEPT DRAWING

DRAWING NUMBER:

BLACK RIVER FALLS-1

KSB19 // CLEVELAND JR.

DECORATIVE SPLIT BASE



The Cleveland Jr. is a sophisticated design that retains the genuine flavor of yesteryear. The cast aluminum clam shell base offers easy installation and is available with either round or fluted shafts, to customize for individual project needs.

SPECIFICATIONS

MATERIAL:

Cast Aluminum

WEIGHT:

49 lbs

BASE HEIGHT:

30.5"

BASE WIDTH:

20"

HANDHOLE HEIGHT:

19"

MAX. OPENING:

8.875"

MAX. BUTT SIZE:

8" (Non-tapered)

8" (0.14"/ft Tapered)

MAX. BASEPLATE:

12.0625" (1" Thick Square w/ 1.75" Corner Radius)

15.5625" Ø (1" Thick Circle)

MAX. ANCHOR BOLT PROJECTION:

4.5"


COMPATIBLE POLES

Pole Style	Pole Butt Size
RE	6.63*
RF	5.75
	6.5
	7*
	8*
FE	6.5
FF	5.75
	6.5
	7*
	8*


* Recommended size

Note: Recommended sizes reflect those with the best overall looking fit of pole and base combination.


BASE DIMENSIONS



Split Base Detail



Split Base Detail with Shaft



Cross Section Detail

FF-A // FLUTED TAPERED ALUMINUM

PEDESTRIAN METAL POLE



**King
Luminaire**

POLE SPECIFICATIONS

MATERIAL:

Fluted Tapered Aluminum

POLE HEIGHT:

10' - 18'

OPTIONS:

GFI - Ground Fault Receptacle

BA - Banner Arms

FPH - Flower Pot Holder


FH - Flag Holder

ALLOY:

5052-H32

FINISH:

Available in textured
or smooth.


CROSS SECTION:

Fluted Tapered (FF)

BASEPLATE DETAILS

Pole		Baseplate			Bolt Circle		Anchor Bolts	
Butt Diameter (in)	Wall Thickness (in)	"X" Square (in)	Thickness (in)	Corner Radius (in)	"Y" Dia (in)	+/- (in)	Dia x Length x Hook (in)	Projection (in)
5.75	0.091	11.25	0.5	1.75	10	1	0.75 x 27 x 3.75	3
5.75	0.144	11.25	0.75	1.75	10	1	0.75 x 27 x 3.75	3.25
5.75	0.182	11.25	0.75	1.75	10	1	0.75 x 27 x 3.75	3.25
5.75	0.229	11.25	0.75	1.75	10	1	0.75 x 27 x 3.75	3.25
6.5	0.091	12.0625	0.75	1.75	11	1	0.75 x 27 x 3.75	3.25
6.5	0.144	12.0625	0.75	1.75	11	1	0.75 x 27 x 3.75	3.25
6.5	0.182	12.0625	0.75	1.75	11	1	0.75 x 27 x 3.75	3.25
6.5	0.229	12.0625	0.75	1.75	11	1	0.75 x 27 x 3.75	3.25
7	0.091	12.0625	0.75	1.75	11	0.75	0.75 x 27 x 3.75	3.25
7	0.144	12.0625	0.75	1.75	11	0.75	0.75 x 27 x 3.75	3.25
7	0.182	12.0625	0.75	1.75	11	0.75	0.75 x 27 x 3.75	3.25
7	0.229	12.0625	0.75	1.75	11	0.75	0.75 x 27 x 3.75	3.25

SLOTS ON A "Y" DIA.
BOLT CIRCLE



HOW TO ORDER

SHAFT STYLE FF - Fluted Tapered	HEIGHT 10, 11, 12, 13, 14, 15, 16, 17, 18	COMPLETE WITH To be supplied by King Luminaire	PAINT COLOR GN - Federal Green, BE - Blue, GY - Gray, BN - Brown, BK - Black, BZ - Bronze *Additional options available on website	
MATERIAL A - Aluminum	BUTT DIAMETER 5.75 6.5 7	WALL THICKNESS 0.091 0.144 0.182 0.229	TENON (POST TOP) 140 35/35 140 30/30	OPTIONS GFI - Ground Fault Receptacle BA - Banner Arms FPH - Flower Pot Holder FH - Flag Holder

SHAFT DETAILS

FF-A PEDESTRIAN METAL POLE

FF ALUMINUM // Pole Details

Nominal Mounting Height (ft)	Catalog Code	Alloy	Butt (in)	Tip (in)	Wall Thickness (in)	Handhole	Wt. (lbs) *
10	FF-A-10-5.75-0.091	5052-H32	5.75	4.35	0.091	3" x 5" Reinforced (MIN 9" AG)	23
	FF-A-10-5.75-0.144	5052-H32	5.75	4.35	0.144	3" x 5" Reinforced (MIN 9" AG)	35
	FF-A-10-5.75-0.182	5052-H32	5.75	4.35	0.182	3" x 5" Reinforced (MIN 9" AG)	41
	FF-A-10-5.75-0.229	5052-H32	5.75	4.35	0.229	3" x 5" Reinforced (MIN 9" AG)	49
	FF-A-10-6.5-0.091	5052-H32	6.5	5.1	0.091	3" x 5" Reinforced (MIN 14" AG)	30
	FF-A-10-6.5-0.144	5052-H32	6.5	5.1	0.144	3" x 5" Reinforced (MIN 14" AG)	40
	FF-A-10-6.5-0.182	5052-H32	6.5	5.1	0.182	3" x 5" Reinforced (MIN 14" AG)	48
	FF-A-10-6.5-0.229	5052-H32	6.5	5.1	0.229	3" x 5" Reinforced (MIN 14" AG)	57
11	FF-A-11-5.75-0.091	5052-H32	5.75	4.21	0.091	3" x 5" Reinforced (MIN 9" AG)	24
	FF-A-11-5.75-0.144	5052-H32	5.75	4.21	0.144	3" x 5" Reinforced (MIN 9" AG)	37
	FF-A-11-5.75-0.182	5052-H32	5.75	4.21	0.182	3" x 5" Reinforced (MIN 9" AG)	44
	FF-A-11-5.75-0.229	5052-H32	5.75	4.21	0.229	3" x 5" Reinforced (MIN 9" AG)	53
	FF-A-11-6.5-0.091	5052-H32	6.5	4.96	0.091	3" x 5" Reinforced (MIN 14" AG)	31
	FF-A-11-6.5-0.144	5052-H32	6.5	4.96	0.144	3" x 5" Reinforced (MIN 14" AG)	43
	FF-A-11-6.5-0.182	5052-H32	6.5	4.96	0.182	3" x 5" Reinforced (MIN 14" AG)	51
	FF-A-11-6.5-0.229	5052-H32	6.5	4.96	0.229	3" x 5" Reinforced (MIN 14" AG)	61
12	FF-A-12-5.75-0.091	5052-H32	5.75	4.07	0.091	3" x 5" Reinforced (MIN 9" AG)	25
	FF-A-12-5.75-0.144	5052-H32	5.75	4.07	0.144	3" x 5" Reinforced (MIN 9" AG)	39
	FF-A-12-5.75-0.182	5052-H32	5.75	4.07	0.182	3" x 5" Reinforced (MIN 9" AG)	47
	FF-A-12-5.75-0.229	5052-H32	5.75	4.07	0.229	3" x 5" Reinforced (MIN 9" AG)	56
	FF-A-12-6.5-0.091	5052-H32	6.5	4.82	0.091	3" x 5" Reinforced (MIN 14" AG)	33
	FF-A-12-6.5-0.144	5052-H32	6.5	4.82	0.144	3" x 5" Reinforced (MIN 14" AG)	45
	FF-A-12-6.5-0.182	5052-H32	6.5	4.82	0.182	3" x 5" Reinforced (MIN 14" AG)	54
	FF-A-12-6.5-0.229	5052-H32	6.5	4.82	0.229	3" x 5" Reinforced (MIN 14" AG)	64
13	FF-A-13-6.5-0.091	5052-H32	6.5	4.68	0.091	3" x 5" Reinforced (MIN 14" AG)	35
	FF-A-13-6.5-0.144	5052-H32	6.5	4.68	0.144	3" x 5" Reinforced (MIN 14" AG)	48
	FF-A-13-6.5-0.182	5052-H32	6.5	4.68	0.182	3" x 5" Reinforced (MIN 14" AG)	57
	FF-A-13-6.5-0.229	5052-H32	6.5	4.68	0.229	3" x 5" Reinforced (MIN 14" AG)	68
14	FF-A-14-6.5-0.091	5052-H32	6.5	4.54	0.091	3" x 5" Reinforced (MIN 14" AG)	36
	FF-A-14-6.5-0.144	5052-H32	6.5	4.54	0.144	3" x 5" Reinforced (MIN 14" AG)	50
	FF-A-14-6.5-0.182	5052-H32	6.5	4.54	0.182	3" x 5" Reinforced (MIN 14" AG)	60
	FF-A-14-6.5-0.229	5052-H32	6.5	4.54	0.229	3" x 5" Reinforced (MIN 14" AG)	72
	FF-A-14-7-0.091	5052-H32	7	5.04	0.091	3" x 5" Reinforced (MIN 14" AG)	38
	FF-A-14-7-0.144	5052-H32	7	5.04	0.144	3" x 5" Reinforced (MIN 14" AG)	54
	FF-A-14-7-0.182	5052-H32	7	5.04	0.182	3" x 5" Reinforced (MIN 14" AG)	64
	FF-A-14-7-0.229	5052-H32	7	5.04	0.229	3" x 5" Reinforced (MIN 14" AG)	77
15	FF-A-15-6.5-0.144	5052-H32	6.5	4.4	0.144	3" x 5" Reinforced (MIN 14" AG)	52
	FF-A-15-6.5-0.182	5052-H32	6.5	4.4	0.182	3" x 5" Reinforced (MIN 14" AG)	63
	FF-A-15-6.5-0.229	5052-H32	6.5	4.4	0.229	3" x 5" Reinforced (MIN 14" AG)	75
	FF-A-15-7-0.091	5052-H32	7	4.9	0.091	3" x 5" Reinforced (MIN 14" AG)	40
	FF-A-15-7-0.144	5052-H32	7	4.9	0.144	3" x 5" Reinforced (MIN 14" AG)	56
	FF-A-15-7-0.182	5052-H32	7	4.9	0.182	3" x 5" Reinforced (MIN 14" AG)	67
	FF-A-15-7-0.229	5052-H32	7	4.9	0.229	3" x 5" Reinforced (MIN 14" AG)	81

FF-A PEDESTRIAN METAL POLE

FF ALUMINUM // Pole Details

Nominal Mounting Height (ft)	Catalog Code	Alloy	Butt (in)	Tip (in)	Wall Thickness (in)	Handhole	Wt. (lbs) *
16	FF-A-16-6.5-0.144	5052-H32	6.5	4.26	0.144	3" x 5" Reinforced (MIN 14" AG)	54
	FF-A-16-6.5-0.182	5052-H32	6.5	4.26	0.182	3" x 5" Reinforced (MIN 14" AG)	65
	FF-A-16-6.5-0.229	5052-H32	6.5	4.26	0.229	3" x 5" Reinforced (MIN 14" AG)	79
	FF-A-16-7-0.091	5052-H32	7	4.76	0.091	3" x 5" Reinforced (MIN 14" AG)	41
	FF-A-16-7-0.144	5052-H32	7	4.76	0.144	3" x 5" Reinforced (MIN 14" AG)	58
	FF-A-16-7-0.182	5052-H32	7	4.76	0.182	3" x 5" Reinforced (MIN 14" AG)	70
	FF-A-16-7-0.229	5052-H32	7	4.76	0.229	3" x 5" Reinforced (MIN 14" AG)	85
17	FF-A-17-6.5-0.144	5052-H32	6.5	4.12	0.144	3" x 5" Reinforced (MIN 14" AG)	56
	FF-A-17-6.5-0.182	5052-H32	6.5	4.12	0.182	3" x 5" Reinforced (MIN 14" AG)	68
	FF-A-17-6.5-0.229	5052-H32	6.5	4.12	0.229	3" x 5" Reinforced (MIN 14" AG)	82
	FF-A-17-7-0.144	5052-H32	7	4.62	0.144	3" x 5" Reinforced (MIN 14" AG)	61
	FF-A-17-7-0.182	5052-H32	7	4.62	0.182	3" x 5" Reinforced (MIN 14" AG)	73
	FF-A-17-7-0.229	5052-H32	7	4.62	0.229	3" x 5" Reinforced (MIN 14" AG)	89
18	FF-A-18-7-0.144	5052-H32	7	4.48	0.144	3" x 5" Reinforced (MIN 14" AG)	63
	FF-A-18-7-0.182	5052-H32	7	4.48	0.182	3" x 5" Reinforced (MIN 14" AG)	76
	FF-A-18-7-0.229	5052-H32	7	4.48	0.229	3" x 5" Reinforced (MIN 14" AG)	92

* Weight includes the pole shaft and baseplate.

SHAFT LOADING

FF ALUMINUM // Loading

Nominal Mounting Height (ft)	Catalog Code	Design Information // AASHTO LTS-6, Latest Revision **									
		90 MPH		100 MPH		110 MPH		120 MPH		150 MPH	
		Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)
10	FF-A-10-5.75-0.091	4.7	200	3.5	200	2.7	200	2.2	200	1.2	200
	FF-A-10-5.75-0.144	8.6	200	6.6	200	5.3	200	4.4	200	2.6	200
	FF-A-10-5.75-0.182	10.1	300	8.0	200	6.5	200	5.3	200	3.2	200
	FF-A-10-5.75-0.229	11.6	300	9.2	200	7.4	200	6.1	200	3.7	200
	FF-A-10-6.5-0.091	6.6	200	5.2	200	4.2	200	3.4	200	2.0	200
	FF-A-10-6.5-0.144	11.6	300	9.3	200	7.6	200	6.3	200	3.8	200
	FF-A-10-6.5-0.182	14.6	300	11.8	300	9.7	200	8.1	200	5.0	200
	FF-A-10-6.5-0.229	16.8	300	13.5	300	11.0	300	9.2	200	5.7	200
11	FF-A-11-5.75-0.091	3.8	200	2.7	200	2.0	200	1.6	200	0.8	200
	FF-A-11-5.75-0.144	7.4	200	5.6	200	4.4	200	3.6	200	2.1	200
	FF-A-11-5.75-0.182	8.8	200	6.8	200	5.4	200	4.4	200	2.6	200
	FF-A-11-5.75-0.229	10.0	300	7.9	200	6.3	200	5.2	200	3.1	200
	FF-A-11-6.5-0.091	5.5	200	4.3	200	3.4	200	2.8	200	1.5	200
	FF-A-11-6.5-0.144	10.0	300	8.0	200	6.5	200	5.4	200	3.2	200
	FF-A-11-6.5-0.182	12.7	300	10.1	300	8.3	200	6.9	200	4.2	200
	FF-A-11-6.5-0.229	14.7	300	11.7	300	9.7	200	8.0	200	4.9	200
12	FF-A-12-5.75-0.091	3.1	200	2.1	200	1.5	200	1.1	200	0.5	200
	FF-A-12-5.75-0.144	6.4	200	4.8	200	3.7	200	2.9	200	1.6	200
	FF-A-12-5.75-0.182	7.6	200	5.8	200	4.5	200	3.7	200	2.1	200
	FF-A-12-5.75-0.229	8.8	200	6.8	200	5.3	200	4.4	200	2.6	200
	FF-A-12-6.5-0.091	4.5	200	3.5	200	2.7	200	2.2	200	1.2	200
	FF-A-12-6.5-0.144	8.9	200	6.9	200	5.6	200	4.6	200	2.7	200
	FF-A-12-6.5-0.182	11.0	200	8.9	200	7.2	200	5.9	200	3.6	200
	FF-A-12-6.5-0.229	12.8	300	10.2	300	8.4	200	6.9	200	4.2	200

FF-A PEDESTRIAN METAL POLE

FF ALUMINUM // Loading

Nominal Mounting Height (ft)	Catalog Code	Design Information // AASHTO LTS-6, Latest Revision **									
		90 MPH		100 MPH		110 MPH		120 MPH		150 MPH	
		Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)	Max EPA (sq ft)	Max Load (lbs)
13	FF-A-13-6.5-0.091	3.8	200	2.8	200	2.1	200	1.7	200	0.8	200
	FF-A-13-6.5-0.144	7.7	200	6.0	200	4.8	200	3.9	200	2.2	200
	FF-A-13-6.5-0.182	9.8	200	7.7	200	6.2	200	5.1	200	3.0	200
	FF-A-13-6.5-0.229	11.3	300	9.0	200	7.3	200	6.0	200	3.6	200
14	FF-A-14-6.5-0.091	3.1	200	2.1	200	1.6	200	1.2	200	0.5	200
	FF-A-14-6.5-0.144	6.7	200	5.1	200	4.0	200	3.2	200	1.8	200
	FF-A-14-6.5-0.182	8.6	200	6.6	200	5.3	200	4.3	200	2.5	200
	FF-A-14-6.5-0.229	9.9	200	7.8	200	6.3	200	5.2	200	3.1	200
	FF-A-14-7-0.091	4.1	200	3.1	200	2.4	200	1.9	200	0.9	200
	FF-A-14-7-0.144	8.4	200	6.6	200	5.3	200	4.3	200	2.5	200
	FF-A-14-7-0.182	10.6	300	8.5	200	6.9	200	5.7	200	3.4	200
	FF-A-14-7-0.229	12.4	300	9.9	200	8.0	200	6.6	200	4.0	200
15	FF-A-15-6.5-0.144	5.8	200	4.3	200	3.4	200	2.7	200	1.4	200
	FF-A-15-6.5-0.182	7.5	200	5.7	200	4.5	200	3.7	200	2.1	200
	FF-A-15-6.5-0.229	8.9	200	6.9	200	5.5	200	4.4	200	2.6	200
	FF-A-15-7-0.091	3.4	200	2.5	200	1.9	200	1.4	200	0.6	200
	FF-A-15-7-0.144	7.3	200	5.7	200	4.5	200	3.6	200	2.0	200
	FF-A-15-7-0.182	9.5	200	7.5	200	6.0	200	4.9	200	2.9	200
	FF-A-15-7-0.229	11.1	300	8.8	200	7.1	200	5.8	200	3.4	200
16	FF-A-16-6.5-0.144	5.0	200	3.6	200	2.7	200	2.1	200	1.1	200
	FF-A-16-6.5-0.182	6.6	200	4.9	200	3.8	200	3.0	200	1.7	200
	FF-A-16-6.5-0.229	7.9	200	6.0	200	4.7	200	3.8	200	2.1	200
	FF-A-16-7-0.091	2.7	200	1.9	200	1.3	200	1.0	200	-	-
	FF-A-16-7-0.144	6.4	200	4.9	200	3.8	200	3.1	200	1.7	200
	FF-A-16-7-0.182	8.4	200	6.5	200	5.2	200	4.2	200	2.4	200
	FF-A-16-7-0.229	9.9	200	7.8	200	6.3	200	5.1	200	3.0	200
17	FF-A-17-6.5-0.144	4.2	200	2.9	200	2.1	200	1.6	200	0.7	200
	FF-A-17-6.5-0.182	5.7	200	4.1	200	3.1	200	2.5	200	1.3	200
	FF-A-17-6.5-0.229	6.9	200	5.1	200	3.9	200	3.1	200	1.7	200
	FF-A-17-7-0.144	5.5	200	4.1	200	3.2	200	2.5	200	1.3	200
	FF-A-17-7-0.182	7.3	200	5.6	200	4.4	200	3.6	200	2.0	200
	FF-A-17-7-0.229	8.8	200	6.8	200	5.4	200	4.4	200	2.5	200
18	FF-A-18-7-0.144	4.7	200	3.4	200	2.6	200	2.0	200	0.9	200
	FF-A-18-7-0.182	6.4	200	4.7	200	3.7	200	2.9	200	1.6	200
	FF-A-18-7-0.229	7.8	200	5.9	200	4.7	200	3.7	200	2.1	200

** EPA represents the Effective Projected Area of the attachments on the pole. Designs are limited to post top luminaires or attachments located at or below the mounting height. Consult factory for poles supporting attachments located above the mounting height.

BASE COMPATIBILITY

FF-A PEDESTRIAN METAL POLE

Pole Butt Size	Split Bases								
	KSB10	KSB11	KSB16	KSB19	KSB20	KSB52	KSB70	KSB76	KSB77
5.75									
6.5									
7									

06-04-2024



Department of the Treasury
Internal Revenue Service
Tax Exempt and Government Entities
P.O. Box 2508
Cincinnati, OH 45201

BRF DOWNTOWN
C/O ROD MCGILLIVRAY
123 MAIN ST
BLK RIVER FLS, WI 54615

Date:
05/14/2024
Employer ID number:
99-2901882
Person to contact:
Name: Customer Service
ID number: 31954
Telephone: (877) 829-5500
Accounting period ending:
December 31
Public charity status:
170(b)(1)(A)(vi)
Form 990 / 990-EZ / 990-N required:
Yes
Effective date of exemption:
May 7, 2024
Contribution deductibility:
Yes
Addendum applies:
No
DLN:
26053530002884

Dear Applicant:

We're pleased to tell you we determined you're exempt from federal income tax under Internal Revenue Code (IRC) Section 501(c)(3). Donors can deduct contributions they make to you under IRC Section 170. You're also qualified to receive tax deductible bequests, devises, transfers or gifts under Section 2055, 2106, or 2522. This letter could help resolve questions on your exempt status. Please keep it for your records.

Organizations exempt under IRC Section 501(c)(3) are further classified as either public charities or private foundations. We determined you're a public charity under the IRC Section listed at the top of this letter.

If we indicated at the top of this letter that you're required to file Form 990/990-EZ/990-N, our records show you're required to file an annual information return (Form 990 or Form 990-EZ) or electronic notice (Form 990-N, the e-Postcard). If you don't file a required return or notice for three consecutive years, your exempt status will be automatically revoked.

If we indicated at the top of this letter that an addendum applies, the enclosed addendum is an integral part of this letter.

For important information about your responsibilities as a tax-exempt organization, go to www.irs.gov/charities. Enter "4221-PC" in the search bar to view Publication 4221-PC, Compliance Guide for 501(c)(3) Public Charities, which describes your recordkeeping, reporting, and disclosure requirements.

Sincerely,

Stephen A. Martin
Director, Exempt Organizations
Rulings and Agreements