





SEE SHEET 3 OF 379 FOR DRAINAGE PLAN NOTES

RESIDENTIAL

MEASONS HIGH GROUNDWATER AND PERMEABILITY SUMMARY											
Location	Approximate Surface Elevation (feet)	Estimated Seasonal High Groundwater		Permeability Test Results		Location	Approximate Surface Elevation (feet)	Estimated Seasonal High Groundwater		Permeability Test Results	
		Depth (feet)	Elevation (feet)	Sample Depth (feet)	Permeability (gallons per minute per foot)			Depth (feet)	Elevation (feet)	Sample Depth (feet)	Permeability (gallons per minute per foot)
SPP-1	28.0	4.0	24.0	29	<0.2	SPP-207	30.5	7.3	23.2	18	0.6
SPP-2	26.8	4.7	22.1	30	12.9	SPP-208	28.3	6.0	22.3	35	4.0
SPP-3	27.5	2.6	24.9	15	>20.0	SPP-209	27.1	4.4	22.7	32	<0.2
SPP-4	24.2	2.9	21.3	20	2.2	SPP-210	29.5	6.3	23.0	68	2.3
SPP-5	30.8	3.3	27.5	42	8.4	SPP-211	29.6	7.5	22.1	22	<0.2
SPP-6	36.5	4.5	32.0	42	7.1	SPP-212	29.3	5.8	23.5	13	<0.2
SPP-7	27.5	5.0	22.5	36	1.4	SPP-213	34.8	Not Encountered			0.6
SPP-8	31.2	3.3	27.9	10	<0.2	SPP-214	31.2	11.5	21.9	25	<0.2
SPP-9	33.5	3.0	30.5	13	0.3	SPP-215	34.8	6.3	26.3	36	<0.2
SPP-10	29.0	3.8	25.2	14	0.9	SPP-216	34.4	6.7	27.7	34	0.5
SPP-11	38.7	38.0	28.7	37	<0.2	SPP-217	32.8	10.5	22.3	24	0.3
SPP-12	41.5	Not Encountered		17	10.7	SPP-218	29.8	5.3	24.5	35	0.5
SPP-13	33.9	31.0	22.9	30	2.8	SPP-219	27.6	2.7	24.9	22	<0.2
SPP-14	35.9	8.5	27.4	18	<0.2	SPP-220	28.6	3.8	24.8	32	<0.2
SPP-15	35.9	8.5	27.4	18	<0.2	SPP-221	32.8	5.8	27	25	<0.2
SPP-16	27.5	4.5	23.0	48	3.1	SPP-222	32.3	8.0	24.3	40	5.4
SPP-17	23.6	2.5	21.1	32	<0.2	SPP-223	29.6	4.8	24.8	40	1.5
SPP-18	32.0	11.5	20.5	30	17.1	SPP-224	30.9	4.3	26.6	35	1.9
SPP-19	24.2	3.8	20.4	34	<0.2	SPP-225	31.5	4.0	27.5	23	0.3
SPP-20	18.5	5.3	13.2	40	<0.2	SPP-226	34.8	6.3	28.5	8	7.2
SPP-21	23.5	5.0	18.5	42	<0.2	SPP-227	34.9	Not Encountered			8.0
SPP-22	23.5	7.0	16.5	40	0.7	SPP-228	34.9	Not Encountered			13.8
MEASONS HIGH GROUNDWATER AND PERMEABILITY SUMMARY											
Location	Approximate Surface Elevation (feet)	Estimated Seasonal High Groundwater		Permeability Test Results		Location	Approximate Surface Elevation (feet)	Estimated Seasonal High Groundwater		Permeability Test Results	
		Depth (feet)	Elevation (feet)	Sample Depth (feet)	Permeability (gallons per minute per foot)			Depth (feet)	Elevation (feet)	Sample Depth (feet)	Permeability (gallons per minute per foot)
SPP-229	32.5	5.5	27.0	45	<0.2	SPP-229	27.5	2.8	24.7	20	<0.2
SPP-230	33.0	4.8	28.2	30	<0.2	SPP-230	26.5	1.8	24.7	20	0.3
SPP-231	34.5	7.5	27.0	30	<0.2	SPP-231	24.8	1.7	22.7	15	0.7
SPP-232	36.0	8.0	28.0	30	<0.2	SPP-232	24.8	1.8	22.8	15	0.5
SPP-233	34.0	8.0	26.0	34	<0.2	SPP-233	28.2	6.0	22.2	38	1.3
SPP-234	34.0	8.5	25.5	34	14.8	SPP-234	28.6	5.8	22.8	36	11.0
SPP-235	33.5	8.0	25.5	34	14.8	SPP-235	23.4	0.8	22.6	24	<0.2
SPP-236	34.5	8.0	26.5	34	14.8	SPP-236	23.2	0.9	22.3	18	<0.2
SPP-237	34.0	8.0	26.0	34	14.8	SPP-237	22.5	2.8	19.7	40	<0.2
SPP-238	33.5	8.0	25.5	34	14.8	SPP-238	22.7	3.2	19.5	34	<0.2
SPP-239	34.0	8.0	26.0	34	14.8	SPP-239	19.5	2.9	16.6	27	<0.2
SPP-240	34.0	8.0	26.0	34	14.8	SPP-240	18.7	5.0	13.7	40	0.7
SPP-241	34.0	8.0	26.0	34	14.8	SPP-241	20.5	4.7	15.5	70	1.0
SPP-242	34.0	8.0	26.0	34	14.8	SPP-242	20.1	4.8	15.3	70	>20.0
SPP-243	34.0	8.0	26.0	34	14.8	SPP-243	20.4	3.7	16.7	40	>20.0
SPP-244	34.0	8.0	26.0	34	14.8	SPP-244	21.2	5.0	16.2	73	7.0
SPP-245	47.3	Not Encountered		108	>20.0	SPP-245	47.3	Not Encountered		108	>20.0
SPP-246	46.8	Not Encountered		96	>20.0	SPP-246	46.8	Not Encountered		96	>20.0
SPP-208	39.3	11.5	27.8	84	4.5	11.4					
SPP-202	38.4	11.5	26.9	84	3.5	1.6					
SPP-203	36.3	9.5	26.0	42	<0.2	<0.2					
SPP-204	34.1	9.3	24.8	100	>11.6	11.9					
SPP-205	36.3	10.4	26.1	108	3.2	2.7					
SPP-206	33.7	9.0	24.7	90	15.1	<0.2					