

EAGLE LAKE SEWER UTILITY DISTRICT

Of the Town of Dover

P.O. BOX 595

Kansasville, WI 53139

262-534-5910

eaglelake@tds.net

www.townofdoverwi.com

EAGLE LAKE SEWER UTILITY DISTRICT COMMISSION

PUBLIC MEETING MINUTES

MONDAY, JUNE 9, 2025 @ 6:00 PM

4110 SOUTH BEAUMONT AVE (TOWN HALL)

KANSASVILLE, WI RACINE COUNTY

1. **Call to order:** Chairman Sam Stratton called the meeting to order at 6:00pm.
2. **Roll Call:** Sam Stratton Chairman, Mike Shenkenberg Supervisor #1, Jared Guillien Supervisor #2, Jim Kieliszewski ELSUD Commissioner, Marie Frederick ELSUD Commissioner, Jeff Bratz ELSUD Superintendent
3. **Approval of Previous Meeting Minutes May 12, 2025:** Jim Kieliszewski made a motion to approve May 12, 2025 minutes as presented, seconded by Jared Guillien. VOTE: 5/0 Motion carried.
4. **Approval of Eagle Lake Sewer Utility District (ELSUD) Payables for June 2025:** Superintendent Jeff Bratz provided an overview of the expenditures and financial reports. Jim Kieliszewski made the motion to pay June's expenses of \$15,563.38, seconded by Jared Guillien. VOTE: 5/0 Motion carried.
5. **ELSUD Compliance Maintenance Annual Report (CMAR) Presentation by Jeff Bratz:** Superintendent Jeff Bratz distributed the report. Straight A's were achieved. Sump pump inspections are continuing to reduce the infiltration.
6. **Resolution 2025-03 to Accept ELSUD CMAR Report:** Marie Frederick made the motion to approve the signature of the 2025-03 Resolution to Accept the CMAR Report, seconded by Jim Kieliszewski. VOTE: 5/0 Motion carried. (Marie yes, Jim yes, Jared yes, Mike yes, Sam yes)
7. **Sump Pump Inspector:** Jeff Bratz explained that the sump pump inspector, Daryl, is moving along through Lorimar and PanYak. There are a couple of residences to return to, due to owners not being home. A few violations have been identified. Those individuals with violations were/are given thirty day notices to correct the situation. Reinspection's are conducted to verify that the proper correction has been made.
8. **Department of Natural Resources Land Use Agreement:** No agreement has been received however Jeff did reach out to his contact again. Last week Friedrich Glas cleared a ten to twelve foot path along the fence line, for three thousand dollars. Weekly the area will be maintained with the sewer plant mower.
9. **Ordinance 13.04 Eagle Lake Sewer Recreate to Include Pipe Rates and Abandoned Frontage:** Jeff will amend the ordinance. Subject tabled.
10. **Painting & Landscaping Lift Stations:** Jeff Bratz noted that the huts have been repainted and look good. Jeff believes that once all is completed, we will owe about \$25,000 for the final payment. Jeff noted that recently the company stated that they are interested in hiring out the painting of the top section of the lift stations.
11. **Plant Operations Update:** Jeff Bratz noted that he sprayed Roundup around the fences and buildings. Jeff has received notice from our ELSUD chemical company that in July another cost increase will be occurring due to the Canadian tariff, approximately twenty-five cents per pound. Jeff plans on ordering a few more chemical totes before July. The Phosphorus numbers continue to look good. Mr. Armguard has been notified that the main plugged again, it was televised today, and the main was hit approximately three foot down from the original puncture spot. Wanasek will be out there to make the repair tomorrow as gravel/stone are falling in again.

- 12. Public Comments:** Eagle Lake buoys were discussed, and it was noted that a company would be interested in taking out and putting in buoys for \$20 each starting this Fall. One more rock buoy is also needed, which Water Patrol will be reminded of at the Town Board meeting.
- 13. Adjournment:** Jim Kieliszewski made the motion to adjourn at 6:19pm., seconded by Jared Guillien. All were in favor. Motion carried.

Submitted the 7th day of July 2025
Camille Gerou, Clerk/Treasurer