


Town of New Glarus

Information Packet

Town of New Glarus



**ORDINANCE # 05-2025-2
TOWN OF NEW GLARUS, GREEN COUNTY
REGULATION OF SHIPPING CONTAINERS**

WHEREAS, The Town of New Glarus has determined it is in the public interest to adopt regulations on the use and placement of Shipping Containers.

WHEREAS, This ordinance is adopted pursuant to the police powers of the Town of New Glarus, specifically including the Town's village powers; its authority to review and approve site plans prior to issuing permits and its authority to adopt ordinances pursuant to Wis. Stats. Chapter 60 to regulate the placement, use, and appearance of Shipping Containers. The Town finds this ordinance is reasonable and necessary to protect public health, safety, welfare, property values and the rural character of the Town. This ordinance establishes reasonable standards which are intended to supplement consistent applicable Green County zoning regulations.

Section 1: Effective Date

This ordinance shall be effective one day after its publication or posting as required by law.

Section 2: Definitions.

- A. The term "Shipping Container" shall be defined as a transportable, enclosed, box-like metal container for dry storage. The term "shipping container" includes but is not limited to, containers such as non-refrigerated semitrailers, roll-off containers, slide-off containers, and "piggyback" containers. A shipping container includes any container intended for the purpose of storing personal items.
- B. The term "shipping container" does not include the following (known herein as "Other Containers") refrigerated containers (whether operable or not), tanks, open top, flat rack, temporary "PODS" or containers to facilitate moving residences, or open side containers.

Section 3. Placement of Shipping Containers Prohibited Except By Permit.

- A. Shipping Containers may not be placed on any parcel of real estate in the Town for any time longer than one week without a permit issued by the Town.
- B. Other Containers are prohibited from being placed on any property in the Town except properly zoned trucking, shipping or construction businesses, and then, only as needed for the business conducted on the property.
- C. Shipping Containers which are in place as of the date of adoption of this Ordinance shall be removed no later than one hundred eighty (180) days after the date of adoption unless a permit is issued.

*Ordinance 05-2025-2
DRAFT (5/14/2026)*

Formatted: Font: 8 pt, Italic

Formatted: Centered

- D. This ordinance does not apply to resin, wood or metal sheds which are 32 square feet or less in area; to any operable truck or van; to any constructed, ~~or to~~ modular, ~~or of~~ other structures ~~built placed~~ under a building permit.
- E. This Ordinance does not purport to override any restrictive covenants ~~on property in the Town of New Glarus~~ which prohibit placement of Shipping Containers.

Section 3: Application for and Issuance of Permit

- A. Any person seeking to locate or maintain a Shipping Container in the Town shall complete an application for a Town permit using an application form prescribed by the Town. The applicant shall include a scaled ~~d~~ drawing showing the proposed location of the Shipping Container and the distances from all property boundaries, ~~and each application (including renewal applications) shall be accompanied by a \$75 fee:~~
- ~~B.~~ The Town Board shall review all applications for placement of Shipping Containers. If it appears the proposed placement of a Shipping Container complies with this Ordinance, the Town Board shall issue a permit.
- ~~C.~~ No shipping container may be located until all the requirements of this ordinance are met.
- ~~B-D.~~ Each neighbor of a parcel shall be notified of a permit application or renewal, and shall have the right to request a hearing before the Town Board on the granting of a permit. If such a request is submitted, the Town Board shall allow a neighboring landowner or their chosen representative to present evidence at the hearing. If the person applying for a permit fails to appear the Town Board may deny the application. Pending the hearing, the requesting party shall not be allowed to place a shipping container.
- ~~E.~~ The permit for placement of a Shipping Container is valid only for the location for which the permit was issued. Permits expire ~~after one calendar year from their date of issue, unless renewed at least 30 calendar days before their expiration date, thirty (30) days. Permits may be renewed for a maximum of five years and after that, no renewal shall be allowed.~~ Additional permits may be issued subject to the terms and conditions of this ordinance.

~~E.-~~

Formatted: Font: Bold

Section 4: Placement Requirements and Limitations

- A. Shipping containers shall be painted in a neutral ~~solid~~ shade and without advertising, ~~design or patterns, or or~~ signage affixed to the shipping container, ~~except as hereafter noted.~~ A Shipping Container may include a sign or painted information not more than 3 square feet in area identifying the owner of the container ~~but no other information:~~
- B. No electrical power ~~nor or~~ plumbing may be installed in a Shipping Container.

Ordinance 05-2025-2
DRAFT (5/14/2026)

Formatted: Font: 8 pt, Italic

Formatted: Centered

- C. No person may reside in a Shipping Container ~~at all~~.
- D. Shipping containers located on a single parcel may not exceed a cumulative gross floor area of 450 square feet. Shipping Containers may not be stacked and may not be more than 8 ½ feet in height.
- E. In no event shall there be more than two temporary Shipping Containers on any property at any time.
- F. Shipping containers may not be placed less than 20 feet from the front boundary of a property, nor less than five feet from all other lot lines. If there is a residence on an adjacent parcel, the Shipping Container may not be less than 440 feet from the nearest point of the residence.
- G. Shipping containers may not be in any required open space, on any wetland or in a location that interferes with vehicular and/or pedestrian circulation.
- H. Shipping containers shall comply with any applicable building and fire code regulations for the purpose of ensuring safe ingress and egress to dwellings, access to utility shutoff valves and fire protection.
- I. Shipping containers shall be locked when not in use. Their doors or entrances shall be kept closed when not in use. The Shipping Container owner shall take precautions to prevent vermin from staying in the Shipping Container.
- J. The Town Board shall have the discretion to further restrict the placement of any shipping container on a property that prevents any unreasonable deprivation of light, air, or reasonable use to any adjoining -property.
- ~~K. A shipping container shall not remain on any property located in the Town of New Glarus for more than thirty (30) consecutive calendar days, and not more than sixty (60) gross days in a twelve (12) month period, unless permitted by the Town of New Glarus. (Exceptions may be granted for construction projects where work is ongoing and actively progressing.)~~
- ~~L. No businesses shall be conducted from a Shipping Container placed pursuant to this ordinance.~~
- ~~K.M. No hazardous substances may be stored for any length of time on a Shipping Container [do we need to define hazardous substances?]~~

Section 5: Revocation of Permits.

- ~~F. With reasonable notice, the Town of New Glarus Board may revoke any permit issued under this ordinance, if it is determined by the Town Board that a shipping container is being maintained in an unsafe matter or constitutes a public nuisance or violates any other provision of the Town or County Code. The revocation shall allow the landowner to bring their shipping container into compliance with this ordinance. Such revocation shall be effective no sooner than 30 days after the permit has been revoked and no longer than 60 days,~~

unless the landowner has brought their container back into compliance with the ordinance.

- A.
- B. Shipping containers must be located at the primary lot of the residence.
- C. Shipping containers shall not be used for residential purposes.
- D. No Shipping Container or portion of a Shipping Container may be rented to a third party or business (except as noted above for construction):

Section 6: Severability.

If any provision of this ordinance or its application to any person or circumstances is held invalid, the invalidity does not affect other provision or application of this ordinance that can give effect without the invalid provision or application, and to this end the provisions of this ordinance are severable.

Section 7: Violations and Penalties

Any violations of this Ordinance shall be subject to a fine of \$100.00.

This ordinance was adopted by the Town Board of Supervisors of the Town of New Glarus at a regular meeting on the _____ day of _____, 2025, by a vote of _____aye and _____nay.

Chair, Chris Narveson

Matt Streiff, Supervisor

Troy Pauli, Supervisor

Mark Pernitz, Supervisor

Dan Gartzke, Supervisor

Margo A. McMicken, Clerk Treasurer



IState Truck Center

6303 Pepsi Way | Windsor, WI 53598

Phone: (608) 846-0680

www.istatetruck.com

John Kotek

john.kotek@istatetruck.com

Work: (800) 826-2308

Mobile: (608) 712-5773

2026 Western Star 47X

Stock# 831428 VIN 5KKHBPDV9TLWF8361



Detailed Specifications

Engine Make	Detroit	Engine Model	DD13
Engine HP	470	Trans Make	Allison
Trans Model	4500RDS	Suspension Type	Air Ride
Front Tire Size	425/65R22.5	Rear Tire Size	11R22.5
Axle Configuration	Tandem 6x4	FA Capacity	28,000
RA Capacity	40,000	Rear End Ratio	4.88
Wheelbase	202"	GVWR	60,000
Front Wheels	Polished Aluminum	Rear Wheels	Polished Aluminum
Trans Speed	6 Speed Auto	Engine Brake	Yes
Box Length	14'6"	Box Make	Henderson
Box Material	Steel	Color	Orange
Fuel Type	Diesel	Tank #1 Capacity	80
Brakes	Air	Suspension Make	Airliner
Suspension Model	Airliner	Trans Type	Automatic
CA/CT	120"	Under CDL	No

Additional Equipment

Air Conditioning	Power Steering
Heated Mirrors	Visor
Aluminum Tanks	Dual Air Horns
Power Windows	Power Mirrors
Power Door Locks	Tilt/Telescopic Wheel
Wrap-Around Dash	Cruise Control

Additional Notes

"Universal Truck Equipment" Tandem Plow Package
Henderson 14' 6" Stainless Steel Dump Body
Universal 12' Power Reversible Plow
Universal 9' Front Mount Wing
Universal 9" Stainless Steel Tailgate Sander
Force America Electric Controls
6100 10" Touch Screen
LED Light Package,

All specifications are believed to be correct. However, periodically errors and omissions do occur. IState Truck Center will not be held liable for errors and omissions. Please verify pertinent specifications prior to sale.

Copyright 2026 - Interstate Online Software, Inc. SOARR Inventory Sales & Management Systems Report Date: 5/12/2026

306,000.00

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773


A proposal for
Town of New Glarus

Prepared by
TRUCK COUNTRY OF IOWA, INC.

Tom Schieltz

July 01, 2026

Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-30X	47X/49X PRL-30X (EFF:MY27 ORDERS)			STD
Data Version				
DRL-042	SPECPRO21 DATA RELEASE VER 042			N/C
Vehicle Configuration				
001-470	WESTERN STAR 47X	9,050	6,525	\$225,742.00
004-227	2027 MODEL YEAR SPECIFIED			STD
002-004	SET BACK AXLE - TRUCK			STD
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	N/C
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-003	TRUCK/TRAILER CONFIGURATION			N/C
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			N/C
99D-023	CARB CLEAN IDLE LABELS NOT FOR INITIAL REGISTRATION IN STATES REQUIRING CARB EMISSIONS CERTIFICATION - (INCLUDES 6X4 INCH LABELS ON LEFT OF HOOD)			\$112.00
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
N 995-1A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD 20000.0 lbs			

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 46000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 66000.0 lbs			
A70-99D	EXPECTED GROSS COMBINATION WEIGHT 80000.0 lbs			
Truck Service				
AA3-018	FRONT PLOW/END DUMP BODY			N/C
AF3-142	MONROE TRUCK EQUIPMENT			N/C
Tractor Service				
AA2-005	FLATBED TRAILER			N/C
AH6-001	SINGLE (1) TRAILER			N/C
Engine				
101-3FE	CUM X12 500V HP @ 1900 RPM, 1700 LB/FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45	\$1,915.00
Electronic Parameters				
79A-065	65 MPH ROAD SPEED LIMIT			N/C
79K-009	PTO MODE ENGINE RPM LIMIT - 1200 RPM			N/C
79M-002	PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED OR PARK BRAKE RELEASED (STATIONARY APPLICATIONS)			N/C
79P-013	PTO RPM WITH CRUISE SET SWITCH - 750 RPM			N/C
79U-004	PTO GOVERNOR RAMP RATE - 100 RPM PER SECOND			N/C
79W-001	ONE REMOTE PTO SPEED			N/C
79X-005	PTO SPEED 1 SETTING - 900 RPM			N/C
80G-002	PTO MINIMUM RPM - 700			N/C
80S-013	PTO 1, NO SWITCH, TEM SUPPLIED REQUEST AND INTERLOCK, WITH PTO CONNECTIONS, NO INTERLOCKS			N/C
Engine Equipment				
99C-124	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX CONFIGURATION			N/C

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
13E-001	STANDARD OIL PAN			N/C
105-015	OIL FILL AND DIPSTICK LOCATED FOR ENHANCED SERVICEABILITY			\$160.00
014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR			\$1,170.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		N/C
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES			STD
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			STD
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-006	PLASTIC BATTERY BOX COVER			STD
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		N/C
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			STD
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			N/C
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			STD
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			STD
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			STD
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	9	3	(\$125.00)
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			STD
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
	TANK LOCATION			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAIPIPE SHIELD			STD
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
122-079	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH HEATED BOWL AND INDICATOR LIGHT	15		(\$50.00)
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-001	FULL FLOW OIL FILTER			STD
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
261-001	STANDARD CHARGE AIR COOLER PLUMBING			STD
270-016	RADIATOR DRAIN VALVE			N/C
168-002	LOWER RADIATOR GUARD			STD
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		\$30.00
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			\$80.00
132-998	NO AIR INTAKE WARMER	-10		STD
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		N/C
Transmission				
N 342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			STD
Transmission Equipment				
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			STD
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84E-013	S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84F-012	S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84G-006	1600 RPM PRIMARY MODE SHIFT SPEED			N/C
84H-005	1500 RPM SECONDARY MODE SHIFT SPEED			N/C
85E-011	MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 1000 RPM			N/C
353-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS			\$455.00
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$95.00
362-525	(2) CUSTOMER INSTALLED CHELSEA 890 SERIES PTO'S			N/C
363-010	PTO MOUNTING, LH SIDE AND TOP RH SIDE OF MAIN TRANSMISSION ALLISON			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-078	HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED			STD
370-006	WATER TO OIL TRANSMISSION COOLER			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			STD
35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID			STD

Front Axle and Equipment

400-1H4	DETROIT DA-F-23.0-5 23,000# HI CAP FL1 71.0 KPI/3.74 DROP HC SINGLE FRONT AXLE	260		\$2,900.00
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20		(\$640.00)

Chris Narveson
 Town of New Glarus
 po box 448
 New Glarus, WI 53574
 UNITED STATES
 Phone :608-328-9418

Tom Schieltz
 TRUCK COUNTRY OF IOWA, INC.
 3201 HWY 61/151
 DUBUQUE, IA 520039695
 Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
402-078	MERITOR 16.5X6 Q+ HIGH CAPCITY CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	20		(\$139.00)
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-023	CONMET CAST IRON FRONT BRAKE DRUMS			\$336.00
427-998	NO FRONT BRAKE DUST SHIELDS			(\$75.00)
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
405-007	BENDIX VERSAJUST AUTOMATIC FRONT SLACK ADJUSTERS			\$143.00
536-105	DUAL HIGH CAPACITY POWER STEERING GEARS, BENDIX 20-23K	80		\$1,747.00
534-003	4 QUART POWER STEERING RESERVOIR	5		N/C
533-001	OIL/AIR POWER STEERING COOLER	5		N/C
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			STD
Front Suspension				
620-068	23,000# FLAT LEAF FRONT SUSPENSION	250		\$490.00
619-002	THREADED SPRING PINS AND BUSHINGS - FRONT SUSPENSION			N/C
410-001	FRONT SHOCK ABSORBERS			\$207.00
Rear Axle and Equipment				
420-103	MERITOR RT-46-160 46,000# R-SERIES TANDEM REAR AXLE		470	\$3,061.00
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		60	(\$1,448.00)
421-456	4.56 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-011	SPL170 XL DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES	-50	-50	(\$328.00)
388-012	SPL170 XL DANA SPICER INTERAXLE DRIVELINE WITH HALF ROUND YOKES		10	\$388.00

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	\$1,317.00
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE			N/C
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			N/C
87B-009	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH			N/C
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			(\$725.00)
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			\$723.00
425-998	NO REAR BRAKE DUST SHIELDS			(\$138.00)
440-006	REAR OIL SEALS			STD
426-1B3	BENDIX EVERSURE LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			(\$124.00)
428-007	BENDIX VERSAJUST AUTOMATIC REAR SLACK ADJUSTERS			\$315.00
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD

Rear Suspension

622-108	AIRLINER 46,000# REAR SUSPENSION WITH CHAIN CLEARANCE		330	\$475.00
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			N/C
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP			STD
624-025	55 INCH AXLE SPACING			STD
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			STD
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			STD
623-002	TRANSVERSE CONTROL RODS			STD
625-006	HEAVY DUTY SUSPENSION OPTION - 23,000#,46,000#, 69,000# AIRLINER SUSPENSIONS		20	\$87.00
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		20	STD
Pusher / Tag Equipment				
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
Brake System				
490-1AV	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
46E-001	STANDARD AIR MANAGEMENT UNIT			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			N/C
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			STD
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			N/C
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			STD
Trailer Connections				
914-025	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND DUST COVERS			\$95.00
919-063	(1) QUICKFIT PROGRAMMABLE SOLENOID W/STATE RETENTION PLUMBED TO BACK OF CAB			\$83.00
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION			\$40.00
308-020	SUPPLEMENTAL TRAILER WIRING WITH CENTER PIN IGNITION			\$11.00
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			\$130.00

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
334-003	SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE END OF FRAME			\$71.00
310-998	NO TRAILER ELECTRICAL CABLE	-10		STD

Wheelbase & Frame

545-442	4425MM (174 INCH) WHEELBASE			N/C
546-107	15.0MM X 89.0MM X 315.0MM STEEL FRAME (0.59X3. 5X12.4 INCH) 120 KSI	90	540	\$1,800.00
552-029	1575MM (62 INCH) REAR FRAME OVERHANG			N/C
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-40	110	N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140		\$460.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 109.06 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL 305.15 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN 45.93 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN 41.86 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN 42.39 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN 40.82 in			
553-001	SQUARE END OF FRAME			STD
559-004	HEAVY DUTY DUCTILE IRON ENGINE CROSSMEMBER	50		\$822.00
561-007	HEAVY DUTY BACK OF TRANSMISSION CROSSMEMBER	10		\$565.00
562-028	HEAVY DUTY MIDSHIP #1 CROSSMEMBER	10	10	\$158.00
572-036	HEAVY DUTY REAR CROSSMEMBER		70	\$440.00
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	N/C
568-015	HEAVY DUTY REAR SUSPENSION CROSSMEMBER		30	\$420.00

Chassis Equipment

025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS			STD
---------	--	--	--	-----

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-60		(\$1,985.00)
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS			STD
558-998	NO FRONT TOW HOOKS	-15		N/C
574-998	NO LICENSE PLATE MOUNTING			N/C
551-034	CLASS 10.9 THREADED METRIC FASTENERS			STD
44Z-002	EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE			STD
924-007	UPFIT ROUTING AND CLIPPING BRACKET, LH, BOC TO SUSPENSION, UPPER & LOWER SUPPORTS			\$21.00
928-007	UPFIT ROUTING AND CLIPPING BRACKET, RH, BOC TO SUSPENSION, UPPER & LOWER SUPPORTS			\$21.00
Fuel Tanks				
204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH	-30	-10	STD
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-1XF	BRIDGESTONE M864 425/65R22.5 20PLY RADIAL FRONT TIRES	158		\$1,510.00
094-12V	CONTINENTAL HDR2+ 11R22.5 16 PLY RADIAL REAR TIRES		184	\$720.00
Wheels				
502-1H5	ALCOA LVL ONE 82462X 22.5X12.25 10-HUB PILOT 4.68 INSET 10-HAND ALUMINUM DISC FRONT WHEELS	-8		\$410.00
505-1HB	ALCOA 88167X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-248	STD

Chris Narveson
 Town of New Glarus
 po box 448
 New Glarus, WI 53574
 UNITED STATES
 Phone :608-328-9418

Tom Schieltz
 TRUCK COUNTRY OF IOWA, INC.
 3201 HWY 61/151
 DUBUQUE, IA 520039695
 Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB			STD
82A-028	STAINLESS STEEL CAB ACCENT MOLDING			STD
667-001	FRONT FENDERS			STD
754-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10		\$115.00
678-066	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES			STD
65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			STD
640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			STD
644-049	X-SERIES VOCATIONAL HOOD WITH ACCESS HATCH	10		\$384.00
67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			STD
652-016	WESTERN STAR NAMEPLATES			STD
727-039	FOUR HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS	8		\$230.00
726-001	SINGLE ELECTRIC HORN			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
650-008	AIR CAB MOUNTING			STD
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM			STD
302-073	VISOR MOUNTED LED MARKER LIGHTS			N/C
314-823	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH SINGLE CONNECTION AT LH FORWARD			\$108.00
311-001	DAYTIME RUNNING LIGHTS			STD
294-1AY	INTEGRAL LED STOP/TAILO/BACKUP LIGHTS			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
300-043	LED SIDE TURN SIGNAL			STD
744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS			STD
74A-001	RH DOWN VIEW MIRROR			STD
729-001	STANDARD SIDE/REAR REFLECTORS			STD
677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER			STD
275-061	PARK BRAKE REMINDER WARNING SYSTEM			\$3.00
776-998	NO SLEEPER VENT	-10		STD
764-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	16		\$538.00
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH	-10		STD
663-032	1-PIECE ROPED-IN HEATED WINDSHIELD			\$525.00
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			STD
647-001	WHITE WINTERFRONT	2		\$64.00
Cab Interior				
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE			STD
707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR			STD
70K-016	CARBON WITH BASE BLACK ACCENT			STD
772-037	BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION WITH ACCELERATOR RUB PAD			\$143.00
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039696
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			STD
745-998	NO UPPER BUNK	-50	-50	STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
720-035	2-1/2 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	5		\$35.00
170-015	STANDARD HEATER PLUMBING			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD
739-034	PREMIUM INSULATION			\$83.00
324-1B2	PREMIUM LED CAB LIGHTING			\$130.00
787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS	2		STD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-002	KEY QUANTITY OF 2			STD
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			STD
64C-002	BRIGHT DOOR HANDLES			\$11.00
740-998	NO MATTRESS	-20	-15	STD
756-1J7	ELITE 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT W/2 AIR LUMBAR,ACTIVE BOLSTER,INTEGRATED CUSHION EXTENSION, TILT,ADJUSTABLE SHOCK, MAP POCKET, HEAT & VENTILATION	30		\$375.00
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			STD
757-001	BLACK SUSPENSION COVER FOR AIR DRIVER SEAT	2		\$50.00
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			STD
758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO			STD
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			STD
763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS			STD

Chris Narveson
 Town of New Glarus
 po box 448
 New Glarus, WI 53574
 UNITED STATES
 Phone :608-328-9418

Tom Schieltz
 TRUCK COUNTRY OF IOWA, INC.
 3201 HWY 61/151
 DUBUQUE, IA 520039695
 Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Controls				
185-004	STANDARD FOOT PEDAL SYSTEM			STD
106-002	ELECTRONIC ACCELERATOR CONTROL			STD
87L-003	ENGINE PTO SPEED CONTROL WITH PARK BRAKE AND NEUTRAL INTERLOCKS			\$35.00
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			\$29.00
734-018	STANDARD CENTER INSTRUMENT PANEL			STD
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
721-001	97 DB BACKUP ALARM		3	\$34.00
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			\$134.00
866-019	DIGITAL DUAL REAR AXLE TEMPERATURE IN DRIVER DISPLAY WITH SENSOR SHIELDS			\$90.00
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
854-001	ENGINE OIL TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			STD
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
A87-998	NOT APPLICABLE - UNIT NOT SPEC'D WITH DETROIT ASSURANCE			N/C
73K-998	NO SIDE OBJECT DETECTION SYSTEM			STD
72J-998	NO DR ASSIST SYSTEM			N/C
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL			(\$354.00)
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
73H-998	NO CAMERA/VIDEO/IMAGING SYSTEM			(\$420.00)
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		\$780.00
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE			\$40.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			STD
747-001	DASH MOUNTED RADIO			STD
750-041	STANDARD SPEAKER SYSTEM			STD
753-053	SPRING LOADED AM/FM ANTENNA MOUNTED ON RH SIDE MIRROR			\$25.00
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			STD
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			STD

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schietz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2-WAY RADIO			STD
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			STD
N 75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			\$75.00
78C-003	INTEROPERABLE SDAR ANTENNA			STD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
812-032	ELECTRONIC 2500 RPM TACHOMETER			STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
8D1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			N/C
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
329-133	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, BLUNTCUT			\$50.00
4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$90.00
4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER			\$35.00
4C3-017	HARDWIRE SWITCH #3, ON/OFF LATCHING, 10 AMPS BATTERY POWER			\$25.00
4C4-005	HARDWIRE SWITCH #4, ON/OFF MOMENTARY, 20 AMPS IGNITION POWER			\$40.00
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			STD
482-001	STANDARD TRACTOR PROTECTION VALVE			\$120.00
883-001	TRAILER HAND CONTROL BRAKE VALVE	2		\$35.00
842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY			STD
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
882-021	TWO VALVE PARKING BRAKE SYSTEM WITH DASH			\$60.00

Chris Narveson
Town of New Glarus
po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

Tom Schieltz
TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039696
Phone :5635563773

Data Code	Description	Weight Front	Weight Rear	Retail Price
	VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
48H-004	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH BLUNTCUTS			\$130.00
* 4CH-006	6 EXTRA PROGRAMMABLE SWITCHES/INDICATORS			\$125.00
	\$A1A0000ZZ,A1B0000ZZ,A1C0000ZZ,A1D0000ZZ, A1E0000ZZ,A1F0000ZZ			
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP			\$6.00
Design				
065-000	PAINT: ONE SOLID COLOR			STD
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
Certification / Compliance				
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Sales Programs				
	NO SALES PROGRAMS HAVE BEEN SELECTED			

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price **

\$ 242,522.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight+	9527 lbs	8037 lbs	17564 lbs
Total Weight+	9527 lbs	8037 lbs	17564 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Chris Narveson
 Town of New Glarus
 po box 448
 New Glarus, WI 53574
 UNITED STATES
 Phone :608-328-9418

Torn Schieltz
 TRUCK COUNTRY OF IOWA, INC.
 3201 HWY 61/151
 DUBUQUE, IA 520039695
 Phone :5635563773

Other Factory Charges

PNZ-013	CARB-COMPLIANT BASE WARRANTY X12	\$1,990.00
PMV-024	GHG24 SURCHARGE - CUMMINS	\$450.00
R27-001	MY27 ESCALATOR	\$4,750.00
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
PAT-023	STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE 47X/49X	\$5,000.00
RD1-315	5 YR DAIMLER CONNECTIVITY CORE PACKAGE -POWERED BY DETROIT CONNECT ON CUMMINS ENGINES	N/C
RD3-998	NO SAFETY EVENT VIEWER	(\$145.00)
P73-2WS	STANDARD DESTINATION CHARGE	\$3,375.00

Extended Warranty

WAI-72J	CUMMINS ENGINE CARB COMPLIANT: X12 HD1 7 YEARS / 250,000 MILES / 402,500 KM EXTENDED WARRANTY. FEX APPLIES.	\$3,175.00
WAX-377	CUMMINS AFTERTREATMENT CARB22: X12 AT3 7 YEARS / 250,000 MILES / 402,500 KM EXTENDED WARRANTY. FEX APPLIES	\$1,055.00
Currency Exchange Rate		1.0000
Total Extended Warranty (local Currency)		\$ 4,230.00

(+) Weights Shown are estimates only.
 If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

po box 448
New Glarus, WI 53574
UNITED STATES
Phone :608-328-9418

TRUCK COUNTRY OF IOWA, INC.
3201 HWY 61/151
DUBUQUE, IA 520039695
Phone :5635563773

QUOTATION

WESTERN STAR 47X

SET BACK AXLE - TRUCK

4425MM (174 INCH) WHEELBASE

CUM X12 500V HP @ 1900 RPM, 1700 LB/FT @ 1000 RPM, 2000
GOV RPM, VOC

ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO
PROVISION

15.0MM X 89.0MM X 315.0MM STEEL FRAME (0.59X3.5X12.4
INCH) 120 KSI

MERITOR RT-46-160 46,000# R-SERIES TANDEM REAR AXLE

1575MM (62 INCH) REAR FRAME OVERHANG

AIRLINER 46,000# REAR SUSPENSION WITH CHAIN
CLEARANCE

DETROIT DA-F-23.0-5 23,000# HI CAP FL1 71.0 KPI/3.74 DROP
HC SINGLE FRONT AXLE

23,000# FLAT LEAF FRONT SUSPENSION

111.6 INCH BBC CONVENTIONAL ALUMINUM CAB

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	167,485	\$	167,485
EXTENDED WARRANTY		\$	4,230	\$	4,230
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	171,715	\$	171,715
TAXES AND FEES					
FEDERAL EXCISE TAX (FET)		\$	(310)	\$	(310)
TAXES AND FEES		\$	0	\$	0
OTHER CHARGES		\$	0	\$	0
TRADE-IN					
TRADE-IN ALLOWANCE		\$	0	\$	0
BALANCE DUE	(LOCAL CURRENCY)	\$	171,405	\$	171,405

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.

2026 Truck Bids

	Tandem	With Wedge tank	With Instart
International	\$ 159,898.89	\$ 374,244.89	\$ 417,847.89
Truck Country WS	\$ 169,505.00	\$ 383,851.00	\$ 417,847.89
Kriete-Mack	\$ 189,593.87	\$ 403,939.87	\$ 447,542.87
Monroe Insert	\$ 257,949.00		
Monroe wedge	\$ 214,346.00		
Difference	\$ 43,603.00		



**OFFICE OF
GREEN COUNTY HIGHWAY COMMISSIONER**

2813 6TH STREET
P.O. BOX 259
MONROE, WI 53566

608-328-9411

REQUEST FOR BIDS: PROPOSAL SPECIFICATIONS

1-TANDUM-AXLE MUNICIPAL TRUCK CHASSIS FOR WINTER PLOWING OPERATIONS

**ALTERNATE PRICE FOR PTO FRONT MOUNTED UNDER RADIATOR
BIDS WILL BE AWARDED ON BASIS OF MOST ADVANTAGOUS TO THE COUNTY**

ISSUING AGENCY: Green County Highway Department, Monroe, Wisconsin

APPLICATION: Government Business Segment – Heavy-Duty Severe Duty Winter Maintenance (Front Plow, Wing, and Monroe Equipment Insert Salt/Brine System)

BID DUE: 5-28-2026 AT 3PM

1. GENERAL WEIGHT RATINGS & DIMENSIONS

- **Expected Gross Vehicle Weight Rating (GVWR):** Minimum 80,000 lbs.
- **Front Axle Weight Capacity:** 23,000 lbs.
- **Rear Drive Axles Capacity:** 46,000 lbs.
- **Wheelbase:** 4425mm (174 inches).
- **Cab-to-Axle (CA):** Calculated at ---- inches (Back of cab to rear suspension centerline).
- **Overall Frame Length:** Calculated at 305.15 inches.
- **Rear Frame Overhang:** 1575mm (62 inches); acceptable range 61 inches to 70 inches with a square end of frame.

- **Front Frame Extension:** 24-inch integral front frame extension (no bolt-on extensions allowed) to accommodate municipal snowplow hitch.
 - **Estimated Frame Heights:**
 - *Top Front:* 45.39 inches (Unladen) / 41.86 inches (Laden)
 - *Top Rear:* 42.39 inches (Unladen) / 40.82 inches (Laden)
-

2. ENGINE & ELECTRONIC PARAMETERS

Engine Performance & Compliance

- **Model:** Cummins X12 500V or strict engineering equivalent.
- **Horsepower:** 500 HP @ 1900 RPM.
- **Torque:** 1700 lb-ft @ 1000 RPM.
- **Governor:** 200 GOV RPM VOC or equivalent.
- **Emissions Compliance:** EPA 2010, GHG 2024 / CARB 2024 Ultra-Low NOx Configuration.

Electronic Parameters & PTO Management

- **PTO Mode Engine RPM Limit:** 1,200 RPM.
- **PTO RPM with Cruise Set Switch:** 750 RPM.
- **Remote PTO:** One (1) remote PTO speed programmed.
- **PTO Governor Rate:** 100 RPM per second ramping.
- **Engine Protection:** Electronic engine integral shutdown protection system.

Engine Equipment & Accessories

- **Oil Pan:** Composite oil pan with easily serviceable, side-of-hood accessible oil fill and dipstick.
- **Air Intake:** Side-of-hood intake with engine-mounted air cleaner featuring inside/outside air routing and an integrated snow door.
- **Alternator:** Delco Remy 12V 160 Amp 28-SI Quadramount PAD alternator with remote battery volt sense.
- **Batteries:** Three (3) DTNA Genuine High-Temperature AGM and cycling batteries; minimum 2775 CCA, 570 RC altogether with threaded studs.
- **Battery Box:** Located under the passenger seat, vented to the outside, with a plastic battery box cover.
- **Electrical Disconnect:** Progressive low-voltage disconnect at 12.3 volts for designated circuits.
- **Grounding:** Wire ground return for battery cables with an additional dedicated frame ground return.
- **Air Compressor:** Cummins naturally aspirated 25.9 CFM air compressor with an internal safety valve.

- **Engine Brake:** Cummins Interbrake with High/Medium/Low settings.
 - **Fan Clutch:** Air-powered on/off engine fan clutch with automatic fan control (no dash switch, non-engine mounted).
 - **Cooling System:**
 - 1,400 sq. inch vocational radiator with lower radiator guard and drain plug.
 - Antifreeze protection to -34°F using OAT (Nitrite and Silicate Free) extended-life coolant.
 - Gates Blue Stripe coolant hoses or approved equivalent.
 - Standard charge air cooler plumbing.
 - **Engine Block Heater:** Phillips-Temro 1500 Watt / 115 Volt block heater with a chrome engine heater receptacle mounted under the LH cab door.
 - **Starter:** Delco 12V 39MT HD/OCP starter with thermal protection and integrated magnetic switch.
 - **Exhaust & Aftertreatment:**
 - RH outboard, under-step mounted horizontal aftertreatment system assembly with RH B-Pillar mounted vertical tailpipe.
 - 11-foot, 6-inch overall exhaust system height with a curved vertical tailpipe.
 - Automatic over-the-road active regeneration with a virtual regeneration request switch in the instrument cluster, and a dash-mounted inhibit switch.
 - Stainless steel shield for aftertreatment device, muffler, and tailpipe.
 - **Fuel/DEF Tanks:**
 - 70-gallon plain aluminum fuel tank (25-inch diameter) mounted on the LH side forward, with a plain step finish.
 - Equiflo inboard fuel system with high-temperature reinforced nylon fuel lines.
 - Alliance fuel filter/water separator with a heated bowl and dash indicator light, paired with a Cummins spin-on secondary fuel filter.
 - 13-gallon LH heavy-duty standard Diesel Exhaust Fluid (DEF) tank with a standard cap and a plain aluminum WST cover.
-

3. TRANSMISSION & DRIVELINE

- **Transmission Type:** Allison 4500 RDS Automatic Transmission with dual PTO provisions.
- **Vocational Package:** Package 223 rated for heavy-duty on/off-highway applications.
- **Shift Programming:** 6-speed configuration (Lowest: 1, Start: 1, Highest: 6). S1 performance secondary shift schedule.
- **Shift Speeds:** 1600 RPM primary mode shift speed; 1500 RPM secondary mode shift speed.
- **PTO Engagement Control:** Maximum engine speed for PTO engagement limited to 1000 RPM.
- **Shift Control:** Heavy-duty electronic column-mounted transmission shift control.
- **PTO Provisions:** Configured for two (2) customer-installed Chelsea 890 series PTOs, positioned at the LH side and top RH side of the main Allison transmission.

- **Cooling & Fluid:** Water-to-oil transmission cooler; electronic oil level check via shift pad; filled with Synthetic Automatic Transmission Fluid (ATF).
 - **Driveline:** Dana Spicer SPL170 XL main driveline and inter-axle driveline, both equipped with half-round yokes.
 - **Magnetic Plugs:** Provided for engine drain, transmission drain, and axle fill/drain points.
 - **Upfitter Interface:** Quick-fit body lighting connector under the cab with blunt-cut wires; electronic transmission wiring routed directly to the customer interface.
-

4. AXLES, SUSPENSION & BRAKES

Front Axle Equipment

- **Model:** Detroit DA-F23.0-5 23,000 lbs. capacity front axle.
- **Suspension:** 23,000 lbs. Flat Leaf Front Suspension with threaded spring pins, bushings, and front shock absorbers.
- **Brakes:** Meritor 16.5x6 Q+ High-Capacity cast spider cam brakes with double anchor fabricated shoes and non-asbestos lining. No dust shields.
- **Hubs & Seals:** ConMet Preset Plus premium iron front hubs with vented front hub caps (window center and side oil plugs) and front oil seals.
- **Slack Adjusters:** Bendix Versajust automatic front slack adjusters.
- **Steering:** Dual high-capacity Bendix 20-23K power steering gears supported by a 4-quart power steering reservoir and an oil-to-air power steering cooler.
- **Lubricant:** Current premium synthetic 75W-90 front axle lube.

Rear Axle Equipment

- **Model:** Meritor RT-56-160 46,000 lbs. R-Series tandem rear axle.
- **Ratio:** 4.56 gear ratio with an iron rear axle carrier and standard housing.
- **Suspension:** Airline 46,000 lbs. rear air ride suspension featuring chain clearance.
 - Nominal ride height of 9.5 inches (460mm Global Reference Height).
 - Restrained axle seats in axle clamp group; 55-inch axle spacing.
 - Heavy-duty suspension option across ranges (supporting up to 69,000 lbs. air-ride integrity).
 - Equipped with tandem rear axle shock absorbers.
- **Traction Control:** Driver-controlled traction differential on both tandem axles. Controlled by one (1) inter-axle lock valve and one (1) driver-controlled differential lock valve (front-rear and rear-rear).
- **Indicators:** Dash indicator light for the inter-axle lockout switch; dedicated indicator light and audible buzzer for each differential lockout switch.
- **Dump Valve:** Ignition-controlled electric dump switch for the air suspension featuring state retention and a dash gauge. Includes an automatic refill feature when vehicle speed exceeds 5 MPH, paired with an indicator light. Single air rear suspension leveling valve and transverse control rods.

- **Brakes:** Meritor 16.5x8.62 Q+ cast spider cam rear brakes with double anchor fabricated shoes and non-asbestos lining. Brake cams and chambers positioned on forward brake drums. No dust shields. Rear oil seals included.
- **Hubs & Adjusters:** ConMet Preset Plus premium iron hubs; Bendix Versajust automatic rear slack adjusters.
- **Lubricant:** Current premium synthetic 75W-90 rear axle lube; standard rear axle breathers.

Chassis Brake Control & Air System

- **ABS System:** WABCO 6S/6M ABS system with traction control and an ATC shut-off switch.
- **Air Lines:** Reinforced nylon fabric-braid and wire-braid chassis air lines throughout.
- **Valves:** Standard Air Management Unit (AMU) with two (2) relay valves: one 5–8 PSI crack valve for the tandem axle and one 3–4.5 PSI crack valve for the pusher/tag axles.
- **Air Dryer:** WABCO System Saver HP with an integral air governor, internal heater, and an oil coalescing filter. Mounted inboard on the LH frame rail.
- **Reservoirs:** Steel air brake reservoirs equipped with manual pull cables on all tanks.
- **Trailer Connections:** None. Chassis shall be optimized strictly as a Quad-Axle vocational truck.

5. CHASSIS FRAME & EQUIPMENT

- **Frame Material:** High-strength steel frame rails measuring 15.0mm x 89.0mm x 315.0mm (0.59 x 3.5 x 12.4 inches). Yield strength: 120 KSI.
- **Crossmembers:** All heavy-duty construction:
 - Heavy-duty ductile iron engine crossmember.
 - Heavy-duty back-of-transmission crossmember.
 - Heavy-duty Midship #1 crossmember.
 - Heavy-duty suspension and rear suspension crossmembers.
 - Heavy-duty rear crossmember.
- **Bumper:** Omit front bumper from factory specification (custom municipal plow bumper to be installed by up fitter).
- **Chassis Shielding/Hardware:** Unpolished aluminum equipment covers. Exterior wiring harnesses fully wrapped in premium anti-abrasion tape. Class 10.9 threaded metric fasteners utilized throughout.
- **Upfit Provisions:** Upfit routing and clipping brackets installed on the LH side from Back-of-Cab (BOC) to suspension, including upper and lower supports. Front anti-spray cab mud flaps included. Front tow hooks and standard license plate mounts omitted.

6. Trailer Connections

A. Pneumatic (Air) Connections

- **Termination:** Tractor air lines must be routed and plumbed to the **end of frame (EOF)**.
- **Couplings:** Equipped with standard **glad hands** suitable for truck/trailer towing.
- **Protection:** Heavy-duty **dust covers** must be installed on both the service and emergency glad hands to prevent debris ingress when not coupled.

B. Auxiliary Pneumatic Solenoids

- **Solenoid Type:** Provide one (1) **quick-fit, programmable solenoid** featuring **state retention** (maintains its last commanded position/state upon vehicle power cycles).
- **Plumbing Location:** The solenoid must be cleanly plumbed and terminated at the **back of cab (BOC)** for auxiliary equipment operation.

C. Primary Electrical Receptacle & Wiring

- **Receptacle Type:** One (1) **SAE J560 7-way primary trailer cable receptacle**.
- **Mounting Location:** Securely mounted at the **A-frame** (front of trailer/deck area).
- **Wiring Configuration:** * Wired for **separate stop/turn** signals.
 - **ABS / Center Pin:** The center pin must be dedicated to ABS power and configured to be **powered through the ignition switch** (hot only when ignition is ON).

D. Supplemental Electrical Receptacle & Wiring

- **Receptacle Type:** One (1) **Supplemental ISO 3731 7-way receptacle** (keyed differently to prevent cross-connection with the primary J560).
- **Mounting Location:** Co-located alongside the primary receptacle at the **end of frame**.
- **Wiring Configuration:** Supplemental trailer wiring must feature a **center pin powered through the ignition switch**.

E. Omissions (Not Required)

- **Trailer Cable:** No trailer electrical spiral/straight cable is to be provided with this chassis.

7. TIRES & WHEELS

Front Axle

- **Tires:** Bridgestone M864 425/65R22.5 (20-Ply) Radial Tires.
- **Wheels:** Alcoa Level One (Part No. 82462) 22.5x12.25 10-hub pilot, 4.68-inch inset, 10-hand hole aluminum disc wheels with standard mounting nuts.

Rear Tandem Axle

- **Tires:** Continental HDR2+ 11R22.5 (16-Ply) Radial Tires.
 - **Wheels:** Alcoa (Part No. 88167) 22.5x8.25 10-hub pilot aluminum disc wheels with standard mounting nuts.
-

8. CAB & INTERIOR CONFIGURATION

Cab Shell & Exterior Features

- **Dimensions/Type:** 111.6-inch BBC Conventional Steel-Reinforced Aluminum Cab.
- **Horns:** Four (4) Hadley SD-978 26-inch rectangular air horns (or approved equivalent) paired with a single factory electric horn.
- **Lighting & Electrical Upfitting:**
 - Dual-stage intelligent LED marker lights.
 - Integral LED stop, tail, and backup lights.
 - Pre-wired switch and harness for customer-furnished snowplow lamps, terminated at a single connection point at the LH forward chassis location.
 - Rear license plate mount shipped loose or affixed to the end of the frame
- **Grille & Trim:** Stainless steel cab accent molding and a stainless steel exterior sun visor with integral LED marker lights.
- **Winterization Equipment:** Fabricated white winter front included.
- **Fenders:** Front fenders with bolt-on molded flexible fender extensions.
- **Visibility Package:** * *Windshield:* One-piece, roped-in heated windshield.
 - *Rear Window:* Single solar tinted rear window (31-inch x 20-inch).
 - *Washer System:* 2-gallon cab-mounted windshield washer fluid reservoir equipped with an electronic fluid level indicator.
- **Mirror System:** C-Bar mirror system featuring dual heated primary mirrors with stainless steel covers and back C-bars. Set up for a 102-inch equipment width. Integrated dual remote LH and RH convex mirrors built into the primary mirror assemblies, complemented by a RH down-view mirror.
- **Access/Safety Assist:** Full interior grab handles with added lower LH and RH pillar grab handles, complemented by LH and RH exterior non-slip grab handles. Vocational hood access hatch with hood opening assist and locking strut mechanism. Air-suspended cab mounting system.

Cabin Interior Trim & Insulation

- **Style Level:** Charcoal Black vinyl base level interior with carbon and black base accents.
- **Floor Covering:** Heavy-duty black mats supplemented with premium floor heat and noise insulation barriers, complete with an integrated accelerator wear/rub pad.

- **Storage & Amenities:** Two (2) dash-mounted 12V power outlets, an integrated coin tray, a forward roof-mounted console, and molded LH/RH door storage pockets. Two (2) coat hooks mounted on the rear wall. Dual driver and passenger interior sun visors.
- **Safety Equipment:** One (1) 2.5-pound fire extinguisher mounted inboard of the driver's seat.

Seating Configuration

- **Driver's Seat:** Elite 2.0 High-Back Air Suspension seat. Includes dual integrated armrests, active bolster, dual lumbar support, integrated cushion extensions, tilt adjustment, adjustable shock absorbers, a rear map pocket, and built-in heating and ventilation. Back suspension cover included.
- **Passenger Seat:** Mid-back non-suspension seat integrated on top of the passenger side battery box. No seat armrests.
- **Seat Upholstery & Belts:** Black cloth driver's seat cover with integrated logo; black cloth passenger seat cover without logo. 3-point adjustable D-ring retractor seatbelt for the driver and fixed D-ring retractor seatbelt for the passenger.

9. CONTROLS, INSTRUMENTATION & ELECTRONICS

Driver Controls

- **Pedals & Steering:** Standard foot pedal system with electronic accelerator control. Adjustable tilt and telescoping steering column paired with a 4-spoke, 18-inch black steering wheel featuring integrated spoke switches. Self-canceling turn signal switch with built-in headlight dimmer, flash, wash, wipe, and intermittent controls.
- **Ignition & Security:** Key-operated ignition switch with integral start position (4 positions: Off, Run, Start, Accessory). Remote keyless entry with two (2) transmitters. Door locks and ignition switch keyed the same (Key quantity: 2). LH/RH electric door locks feature an auto-unlock mechanism when a door is closed from an open position. Bright finish exterior door handles.
- **Lighting Switches:** Rotary headlamp switch (Marker light / Headlight) with pull-out functionality for optional fog/road lamps. Pre-trip inspection feature programmed for exterior lamps only.

Instrumentation & Displays

- **Instrument Cluster:** Premium instrument cluster with a 5-inch TFT color display, complemented by a digital panel lamp dimmer switch. Gauges feature bright Argent finish bezels set into a standard center instrument panel.
- **Primary Gauges (Physical & Digital):**
 - Dual needle primary and secondary air pressure gauges.
 - 2-inch electric fuel gauge.

- Digital dual rear axle temperature display in the driver message center, complete with sensor shields.
- Electrical engine coolant temperature and engine oil temperature gauges.
- Electronic engine oil pressure gauge.
- 2-inch transmission oil temperature gauge.
- Digital turbo air pressure and digital voltage displays integrated within the driver display.
- Electronic outside temperature sensor display.
- Integrated engine hour meter and trip hour meter.
- Electronic MPH speedometer with a secondary KPH scale (without mechanical odometer) and an electronic 2500 RPM tachometer.
- **Diagnostics:** Heavy-duty on-board diagnostic (OBD) interface connector with a protective dust cap located below the LH dash.

Audio, Communications & Outfitter Interface

- **Interactive Display:** Dash-mounted 7-inch B-Panel interactive touchscreen display radio with USB-C, Apple CarPlay, Android Auto, Bluetooth, AM/FM, SiriusXM, and Weather Band (WB), with an integrated microphone. Backed by a standard premium speaker system and a spring-loaded AM/FM antenna mounted on the RH side mirror.
- **Two-Way/CB Radio Provisions:** Overhead console-mounted CB radio provision. Roof overhead console CB radio provision including power and ground wiring routes. Single remote speaker with wiring lead for a two-way radio, and a single fiberglass LH mirror-mounted CB antenna with brackets and lead wires.
- **Telematics & Antenna System:** Headliner multi-band antenna (supporting AM/FM, Weather Band, Wi-Fi, Bluetooth, and GNSS/GPS). Includes an inoperable SDAR antenna element. Includes a 5-year warranty package for connectivity-based services.
- **Auxiliary Hardware Switches:** Four (4) extra factory-installed hardware switches mounted in the dash, pre-routed to a space between the seats with blunt-cut terminations:
 - *Switch #1:* Off/On latching, 20-Amp, ignition-powered.
 - *Switch #2:* On/Off latching, 10-Amp, battery-powered.
 - *Switch #3:* On/Off latching, 10-Amp, battery-powered.
 - *Switch #4:* On/Off momentary, 20-Amp, ignition-powered.
- **Module Integration:** One (1) Quick Fit Programmable Module (QPM/XMC). Two (2) TMC RP1226 accessory connectors: one (1) located behind the passenger-side removable dash panel and one (1) in the center overhead console.
- **Safety Alarms:** 97 dB audible backup alarm. Electronic cruise control managed via steering wheel spoke switches.

10. PAINT & WARRANTIES

- **Cab Paint:** Applied solid color – Green (County Specification match).
- **Chassis Paint:** High-solid black polyurethane chassis paint.

- **Engine Warranty:** Cummins Engine extended warranty – CARB compliant, 7-Year / 250,000-Mile coverage.
- **Aftertreatment Warranty:** Cummins Engine Aftertreatment component extended warranty – 7-Year / 250,000-Mile coverage.



Bureau of Correctional Enterprises
3099 East Washington Avenue
P.O. Box 8990
Madison WI 53708-8990
Phone: 608.240.5200
Toll Free: 800.862.1086
Fax: 608.240.5231
www.shopbce.com

Estimate

#EST-924-5407

7/15/2026

Bill To

ACCOUNTS PAYABLE/Mark Pernitz
TOWN OF NEW GLARUS
501 First Street
P.O. Box 448
New Glarus WI 53574
United States

Ship To

Ron Rosslein
Town of New Glarus
N8799 Hayes Lane
New Glarus WI 53574
United States

Customer ID	Customer Phone Number	Customer Email	Shipping/Delivery Method	Estimate Expiration Date
96348		mpernitz@gmail.com	Spee-Dee Add \$	8/14/2026

Line#	Item Number/Description	Item Image	UOM	Quantity	Unit Price	Ext. Price
1	R2-1-HI-2430-080-N-45 R2-1 SPEED LIMIT [45], 24" X 30" BLACK/ WHITE HI.080" TY07 NEW METAL - 1.5" RADIUS CORNERS		ea	40	\$30.64	\$1,225.60

Subtotal	\$1,225.60
Shipping/Delivery	\$0.00
Installation	\$0.00
Total	\$1,225.60

Delivery Detail**Special Instructions**

EST-924-5407

Jul 22, 2026, 10:50:09 AM

1 of 1



2003 Harrison Ave, Rockford IL 61104

Phone: (815) 399-8839 • (800) 383-6584 • Fax: (815) 399-8854 • www.rjbowers.com • jabowers@rjbowers.com

To: Town of New Glarus (Chris)

Phone: 608-636-3495

E-Mail: cnarveson@greencountywi.org

Date: 6-25-2026

Quote #: 2026-P-5885

MiTM Hot Electric Motor Pressure Washer # HEG-3005-1E2G
3000 PSI / 3.9 GPM 8 HP Motor / 230V 1 Phase 44 Amp
NG or LP Available

Belt Drive General Pump / 10-inch Draft Diverter Included (21-Inch Height)

Auto Start Stop & Time Out / Hour Meter / Adjustable Thermostat

Adjustable High Pressure Detergent Injection / Electronic Ignition / Standing Pilot

Removable Panels / Easy Access to All Internal Components

1/2-inch Schedule 80-Coil Heat Exchanger

On/Off Pump/Motor Switch / On/Off Burner Switch

(Optional Remote-Control Panel or Wireless)

50 Foot Hose / Adjustable Pressure Dual Lance / Full Nozzle Set

ETL Certified / Footprint: L=56.5" X W=29" X H=49.75" Ship = 878 Lbs.

Unit Cost: \$13,800.00

HX-0105: \$ 142.00 (Liquid Propane (vapor only))

Sub Total: \$13,942.00

Discount: \$-3,207.00 (Local Gov Discount)

Total: \$10,735.00

Includes Direct Ship From MiTM (Need Fork Lift) / Final Unit Testing & Training

See Page #2 for Hose Reel Information

Quote Valid For: 60 Days

Lead Time: 2.5-3 Weeks

Thank you for the opportunity to present our offer:


Regards: Paul W Conkling

paul@rjbowers.com

Cell: 815 988 8008



PN: 8750-6850: 100' Pivot Hose Reel / List = \$554 Your Cost \$470



PN: 8919-4370: Pivot reel Wall Mount Bracket / List \$65.00 Your Cost \$55.00

100' Hose (we keep 50' that comes with unit) Your Cost \$175.00

PN: 8918-2880: 10' Jump Hose from Unit to Reel Your Cost \$42.50

Accessories Total: \$742.50

Total with unit Page 1: \$11,477.50



Bureau of Correctional Enterprises
3099 East Washington Avenue
P.O. Box 8990
Madison WI 53708-8990
Phone: 608.240.5200
Toll Free: 800.862.1086
Fax: 608.240.5231
www.shopbce.com

Estimate

#EST-922-3114

8/10/2026

Bill To

ACCOUNTS PAYABLE/Mark Pernitz
TOWN OF NEW GLARUS
501 First Street
P.O. Box 448
New Glarus WI 53574
United States

Ship To

Ron Rosslein
Town of New Glarus
N8799 Hayes Lane
New Glarus WI 53574
United States

Customer ID	Customer Phone Number	Customer Email	Shipping/Delivery Method	Estimate Expiration Date
96348		mpernitz@gmail.com	IDC Install	9/10/2026

Line #	Item Number/Description	Item Options	Item Image	UOM	Quantity	Unit Price	Ext. Price
1	NEWGL-TRAI-FT-0334-EGS-100-ECT 3"X34" .100 ALUM TRAIL SIGN, 3/8 HOLES 31"OC, EG FLEX SHEETING, 3M BROWN ELECTROCUT VINYL			ea	2	\$19.41	\$38.82
2	NEWGL-TRAI-EX-0342-EGS-100-ECT 3"X42" .100 ALUM TRAIL SIGN, 3/8 HOLES 39"OC, EG FLEX SHEETING, 3M BROWN ELECTROCUT VINYL			ea	2	\$22.72	\$45.44
3	NEWGL-TRAI-HR-0330-EGS-100-ECT 3"X30" .100 ALUM TRAIL SIGN, 3/8 HOLES 27"OC, EG FLEX SHEETING, 3M BROWN ELECTROCUT VINYL			ea	2	\$17.75	\$35.50
4	NEWGL-TRAI-CH-0330-EGS-100-ECT 3"X30" .100 ALUM TRAIL SIGN, 3/8 HOLES 27"OC, EG FLEX SHEETING, 3M BROWN ELECTROCUT VINYL			ea	2	\$17.75	\$35.50



EST-922-3114

Aug 10, 2026, 2:46:40 PM

1 of 3




Bureau of Correctional Enterprises
3099 East Washington Avenue
P.O. Box 8990
Madison WI 53708-8990
Phone: 608.240.5200
Toll Free: 800.862.1086
Fax: 608.240.5231
www.shopbce.com

Estimate

#EST-922-3114

8/10/2026

Line #	Item Number/Description	Item Options	Item Image	UOM	Quantity	Unit Price	Ext. Price
5	NEWGL-MONU-10136-1.5-DF-WP-HDU-CNC 101"X36" MONUMENT, DOUBLE SIDE PANELS WITH (4) 101"X7.5" LOWER PANELS ALL 1.5" HDU DUNA CORAFOAM CNC ROUTED DIMENSIONAL TEXT .5" ENCLOSED IN FRAME ATTACHED TO 3"X1" ALUM TUBING WITH BRACKET FOR MOUNTING TO WOOD POST(NOT INCLUDED) TOPPED WITH 4" SQ. ALUM TUBING, PAINTED TO CUSTOMER COLOR CHOICE			ea	1	\$8,395.43	\$8,395.43
6	NEWGL-PPDB-10136-125-FAB 101"X36 DOUBLE SIDE POST AND PANEL MONU WITH (2) 101"X7.5" LOWER PANELS ALL PANELS .125 ALUM. WITH .25" DIMENSIONAL TEXT, ATTACHED TO 4" ALUM POSTS FOR MOUNTING, TOPPED WITH CAPS, FRAME AND POST PAINTED TEXTURE JETBLACK			ea	1	\$4,427.08	\$4,427.08
7	NEWGL-MONU-10136-1.5-DF-2-HDU-CNC 101"X36" MONUMENT, DOUBLE SIDE PANELS WITH (4) 101"X7.5" LOWER PANELS ALL 1.5" HDU DUNA CORAFOAM CNC ROUTED DIMENSIONAL TEXT .4" DEEP WITH 3M E.G. REFLECTIVE SHEETING, 3"X1" TUBING AND 4X4ALUM POST FOR MOUNTING, TOPPED WITH 4" SQ. ALUM TUBING, PANEL AND POSTS PAINTED BROWN			ea	1	\$5,996.33	\$5,996.33
8	MNT-BASE-STEEL-0001 48" STEEL MOUNTING BASE, IN GROUND MOUNTING OF LARGE SIGNAGE			ea	2	\$115.00	\$230.00

Subtotal	\$19,204.10
Shipping/Delivery	\$0.00
Installation	\$2,000.00
Total	\$21,204.10

Delivery Detail

Shipping will be included upon invoicing.



EST-922-3114

Aug 10, 2026, 2:46:40 PM

2 of 3

PROJECT ESTIMATE



TCnetworks

900 Valley Road, Platteville, WI 53818

This estimate will expire on →
Please contact us for an update if needed.

07/30/2026

NSI - New Client - Township Garage Network /Cams

PREPARED FOR

New Glarus Township
N8799 Hayes Lane , New Glarus , WI

Estimate ID: 00000253

Created On:
04/20/2026

Chris Narveson
cnarveson@greencountywi.org

Description	Qty	Unit Price	Amount
DESCRIPTION OF SERVICES* - Install Camera / switching / Fiber and mounting hardware - Aim and configure cameras into WAVE - Prep new Nema Box and install on pole - Test network connectivity and cameras - Training CLIENT RESPONSIBILITY* - Provide Reasonable Access to the Project Site - Client has a single gang 110 power outlet mounted in the TC supplied Nema box on pole and in mechanical room next to rack - Provide Internet connection to the network rack ASSUMPTIONS* - Client will Provide or Cover the Cost of Lift Rentals (if necessary) to Access and/or Install all Equipment Included in this Project. - Conduit will contain pull string for fiber pull PROJECT SITE ADDRESS* N8799 Hayes Lane, New Glarus WI			\$6,045.17
(1) - 2U WAVE NVR (Intel based) with 4 Professional licenses, 12TB RAW, supports: 32 channels, Wisenet WAVE pre-installed, H.264/H.265/MJPEG, 4 fixed internal SATA HDDs (10TB max per HDD), Wisestream technology, HDMI/DP output, Dual GbE NICs (1) - NavePoint 9U Wall-Mount Network Cabinet for 19" IT			\$13,273.66

Equipment, A/V with Glass Door and Removable Side Panels,
Locks, 2 Fans, 600mm Depth, Hinged Back

(1) - beldenkeyconnect® empty modular patch panel, 24-port,
black

(1) - transition networks smart managed gigabit ethernet poe+
switch(16) 10/100/1000base-t ports + (2) 100/1000base-x sfp
slots

(2) - hanwha vision pnm-c16013rvq 16mp multi-sensor outdoor
multidirectional network mini dome camera with night vision

(1) - wisenet pnm-12082rvd 6 megapixel outdoor network camera

(1) - wisenet q network outdoor vandal dome camera, 2mp @
30fps, 4.0mm fixed focal lens (87°), triple codec
h.265/h.264/mjpeg with wisestream ii, 120db wdr, ir leds range 82',
defocus detection, hallway view, one way audio and sd card, video
analytics, cvbs, open platform, ip66, ik10, poe/12vdc, white color

(2) - hanwha vision - sbp-156kmwaluminum corner mount wht

(3) - hanwha wall mount

(1) - hanwha mounting hole cover mount plate

(1) - hanwha mounting hole cover mount plate

(1) - altelix 14x12x10 fiberglass weatherproof nema 4x enclosure
with blank aluminum mounting plate

(1) - transition networksethernet switch, (4) 10/100/1000base-t
poe++ port, (2) 10/100/1000base-t rj-45 port, (2) 100/1000base-x
sfp slot, 16 gbit/s

(1) - transition networkspower supply, 2.5a, 120w, 48/55v dc, din-
rail mount, 4.93 h x 1.57 w x 4.47 d in.

(6) - zero connectcopper patch cables, 1 ft., blue, cat 6

(0.6) - 6o4p24-bk-r-cms-nr commscope technologies llc. cs34o
black un884019904/10

(1) - tripp lite (eaton) - protect it! 4-outlet home computer surge
protector strip, 450 joules mfr #: tlp404

(1) - 6ft 18 Gauge 3 Prong Heavy Duty Replacement Power Supply
Cord Cable 110V 115V 120V Pigtail for Universal AC Appliance,
NEMA 5-15 Plug US SJT 18AWG (10A)

(4) - belden 1-port side entry box, w/out shutter door key connect,
electric white

(1) - FHD® Fiber Adapter Panel, 24 Fibers OS2 Single Mode, 12 x LC
UPC Duplex (Blue) Adapter, Ceramic Sleeve

(1) - fhd® high density 1u rack mount enclosure unloaded, sliding
drawer, holds up to 4 x fhd® cassettes or panels, 144 fibers (lc)

(3) - fhd® blanking fiber adapter panel #35526

(1) - cyberpower 12 outlet black rackmount surge strip

(750) - 2 CORE 900UM SM AMORED PLENUM INOUT / per foot

(6) - 1m (3ft) Fiber Pigtail, LC UPC to Unterminated, Simplex, OS2

Single Mode, PVC (Unrated), 0.9mm, Yellow SKU50013
 (2) - 1m (3ft) lc upc to lc upc duplex os2 single mode pvc (ofnr)
 2.0mm fiber optic patch cable - SKU40191
 (2) - Generic Compatible 10GBASE-LRL SFP+ 1310nm 2km DOM
 Duplex LC/UPC SMF Optical Transceiver Module - SKU 74673
 (1) - Altelix DIN Rail Mount Gigabit Ethernet PoE Surge Protector
 (1) - ninjaone backup billed annually
 (1) - Misc Parts and connectors

Discount: 0%
 (\$0.00)

Subtotal	\$19,318.83
Tax (0)	\$0.00
Shipping	\$300.00
Estimate Total:	\$19,618.83

All accounts and invoices are due & payable in full within 30 days from the invoice date. Accounts 30 days or more past due are subject to an interest and finance charge of 1.5% per month or 18% per annum.

To ensure a swift project start, we kindly request that you pay for the necessary project materials upfront, which will cover the cost of specific hardware and software items listed in this estimate. Please return this document, signed, along with your initial payment at your earliest convenience. This allows us to immediately begin ordering and procuring the materials needed for your project as well as setting your project start date as soon as possible. Delays can result in increased costs on your final invoice.

I have reviewed the details and terms of this estimate and wish to proceed with the project.
I understand that by signing below the project will begin once the materials payment is received by TC Networks.

Authorized Signature: _____

Date: _____

Clerk Treasurer

From: Kittoe, Ashley <akittoe@gflesch.com>
Sent: Thursday, July 23, 2026 1:26 PM
To: Clerk Treasurer
Subject: RE: Town of New Glarus / GFC
Attachments: imageFORCE-C611-Series-Brochure.pdf

Hi Darla,

I hope you're doing well! I may be heading to PDC this weekend to have a Pete's with my cousin who is back from Maryland. 😊

Here is the proposal for your new device. I've also included the Canon brochure for you to look at.

- This will be a standalone unit with three paper drawers for added capacity and convenience.
- The device prints and copies at 65 pages per minute.
- It supports paper sizes up to 8.5" x 14".
- Also included: a stapling finisher for document finishing needs.

60 Month Lease: \$116.00 / month

imageCARE Agreement:

Cost Per Image:

- B&W \$0.0142
- Color \$0.0825

The imageCARE Agreement includes toner, all parts, all labor, travel time, technical updates, preventative maintenance, access to the GFC Help Desk for remote resolution, and firmware updates through GFC's Quality Assurance Program. GFC's imageCARE also provides an automatic meter reading application and 24/7 access to your private customer portal with information and tools. Network connected installations include the services of a Digital Support Specialist to manage system integration and training. Delivery, installation, and start-up supplies are included. Pricing does not include sales tax.

Please let me know if you have any questions or would like to review the proposal together.

Thank you,
Ashley



Ashley Kittoe

Account Executive

t: 608.441.6275

 gflesch.com/blog

From: Kittoe, Ashley
Sent: Tuesday, July 21, 2026 12:05 PM
To: Clerk Treasurer <clerk@townofnewglaruswi.gov>
Subject: Town of New Glarus / GFC

Hi Darla –

I hope you're having a great start to your week. It was fun chatting with you last week. It really is a small world.

I'm meeting with my manager on Thursday and should have those proposal to you by the end of the week.

Thank you,
Ashley


Canon

imageFORCE
C611F/C611FZ
C521F/C521FZ
C431F/C431FZ
C331F/C331FZ



THE POWER OF
NEXT

- Compact Colour Multifunction Printer
- Prints up to 65 ppm (BW/Colour, Letter)
- Scans up to 200 ipm (300 dpi BW/Colour Duplex)
- Up to 2,300 Sheet Maximum Paper Capacity
- Supports Paper Sizes up to 8-1/2" x 14" (Legal Size)




imageFORCE C611F

CONFIGURATION OPTIONS

imageFORCE
C611F/C611FZ
C521F/C521FZ
C431F/C431FZ
C331F/C331FZ

imageFORCE C611F (Non-Finisher Model)



imageFORCE C611FZ* (Finisher Model)



Cassette Feeding Unit-BA1**

- 550 sheets capacity
- Supports up to Legal sized paper
- Supports 16 lb. Bond to 60 lb. Cover



Cassette Module-AL1***

- 550 sheets capacity
- Supports up to Legal sized paper
- Supports 16 lb. Bond to 60 lb. Cover

* Finisher cannot be added after purchase.

** Cassette Feeding Unit-BA1 is required to add Cassette Module-AL1 to FZ model.

*** Up to 2 Cassette Module-AL1 can be added to F or FZ models.



Current Situation

- Currently has one device that is producing streaks on prints
- Experiencing high toner costs with their existing setup
- Looking for a single, standalone device to handle all office printing, copying, and scanning needs
- Looking for a built-in finisher with automated stapling capabilities
- We will be reviewing multiple acquisition options, including:
 - Outright purchase
 - 63-month FMV (Fair Market Value) lease
 - \$1 buyout lease



Recommended Hardware

- Toshiba ES331AC
 - 35 ppm color & B/W multifunction printer
 - Print, copy, and scan with up to 8.5 x 14 support
 - Dual-Scan Document Feeder
 - Easy to use with a large 10.1" tablet-style touchscreen with customizable one-touch workflows
 - Includes an inner finisher to handle automated stapler capabilities.
 - Up to 1,000 mono copies per month
 - Additional mono prints cost 0.0175 per copy
 - Up to 500 color copies per month
 - Additional color prints cost 0.0850 per copy





Benefits of James Imaging Service

- We can service your entire fleet of printers which will help you
 - Control Print Costs – one of the most unaudited areas of a business
 - Relieve IT Department of troubleshooting and maintaining printers
 - Reduce your overall monthly spend
 - Consolidate copier and printing systems to one local vendor
- 4-hour service response and resolution timeframe guarantee. Year-to-date 2025, the average response time for the Madison market was 1.92 hours.
- Always speak to a live person.
- Automatic toner fulfillment- Our DCA detects toner levels and will send toner to the correct machine 2 weeks prior to the estimated end date, labeled exactly the way you want.
- Replacement, supply, loaner, and service guarantee.
- Forward thinking solutions partner to help as you grow.
 - Papercut- Secure Print Release and tracking to reduce costs and improve security.
 - AI Driven workflow automation document management systems to streamline internal workflows.



Executive Summary (FMV 63 month)

- Toshiba ES331AC
 - **\$130.14 per month**
 - Includes all parts, toner, and maintenance
 - 63-month term
 - Up to 1,000 mono copies per month with additional mono copies billed monthly at 0.0175 per copy.
 - Up to 500 color copies per month with additional color copies billed monthly at 0.085 per copy.
- Questions/Concerns?
 - Next Steps

This proposal is valid through 8/17/26

EXAMPLE

Town of New Glarus, Green County, Wisconsin

ORDINANCE Purchasing Procedures

RESOLUTION 07-2026

Purpose and Scope: The purpose of this ordinance is to authorize the purchase of materials and supplies between Town Board meetings, without requiring prior approval from the Board of Supervisors.

Authority: The Town Board has specific authority, powers, and duties pursuant to WI Stat. 125 granting to the Town Board powers to regulate, control, license, prevent or permit certain used and activities for the good order of the Town and for the health, safety, and welfare of the public.

The Town of New Glarus does ordain as follows:

- a. The purchase of materials and supplies with an anticipated cost of less than \$500 may be made by the Town Chair, Town Clerk, Town Treasurer, or Town Maintenance Person without prior approval of the Town Board of Supervisors. "Materials and supplies" include paper, postage, office supplies, cleaning materials and supplies, maintenance materials, equipment repairs, consultation, and other similar items. All such purchases shall be reviewed and approved by the Town Clerk for fund and budget availability prior to purchase.
- b. The purchase of materials and supplies, permanent personal property, and services with an anticipated cost between \$500 and \$2,000 shall be authorized by the Town Chair. These purchases shall be reviewed and approved by the Town Clerk for fund and budget availability prior to purchase.
 - (1) "Permanent personal property" includes furniture, furnishings, automation equipment, calculating equipment, small machines, parts, tools, equipment, and any other property that customarily has a useful life of more than a year.
 - (2) Purchases under this subsection may be made on the open market and directly from a dealer or supplier without obtaining sealed quotations.
 - (3) All purchases made by the Town Chair shall be presented at the next Town Board meeting to keep the Board of Supervisors informed.
- c. The purchase of materials and supplies or permanent personal property with an anticipated cost of \$2,000 or more shall require approval of the Town Board of Supervisors, after obtaining, if applicable, at least three quotations.
- d. Road project bids require a minimum of three bids. Bids may be opened by the Town Clerk and Town Highway Commission. All results shall be presented to the Town Board of Supervisors at the next Town Board meeting.
- e. Attendance of Town officers and employees at seminars and conventions shall require the approval of the Town Board of Supervisors.

Severability: If any provision of this ordinance or its application to any person or circumstances is held invalid, the invalidity does not affect other provisions or applications of the ordinance that can be given effect without the invalid provision or application, and to this end the provisions of this ordinance are severable.

Penalties/Enforcement:

- a. A person who commits a violation of this ordinance is subject to forfeiture as prescribed by WI Stat 125.11
- b. For purposed of determining whether a previous violation has occurred, if more than one violation occurs at the same time, all those violations shall be counted as one violation.
- c. Any person who fails to comply with the provisions of this ordinance shall, upon conviction, forfeit all privileges granted under this ordinance. The Town Board of Supervisors shall issue w written notice of the conviction, including the duration of the forfeiture and any applicate conditions.

Effective Date: This ordinance is effective on publication or posting. Pursuant to WI Stat 60, the Town Clerk shall post this ordinance as required.

Date: _____

Town Chair, Chris Narveson

Clerk Treasurer, Darla Kramer

Roll Call Vote:

Chairman Chris Narvenson	___ Aye / Nay ___
1 st Supervisor Streiff	___ Aye / Nay ___
2 nd Supervisor Pauli	___ Aye / Nay ___
3 rd Supervisor Pernitz	___ Aye / Nay ___
4 th Supervisor Gartzke	___ Aye / Nay ___



Town of New Glarus
Transaction Detail by Account
August 12, 2026

DATE	TRANSACTION TYPE	NUM	NAME	SPLIT	AMOUNT
10000 DDA 2306 - 2 - 1					
08/12/2026	Bill Payment (Check)	22415	Associated Appraisal Consultants, Inc.	21000 Accounts Payable (A/P)	-1,259.62
08/12/2026	Bill Payment (Check)	22416	Yahara Materials, Inc.	21000 Accounts Payable (A/P)	-660.11
08/12/2026	Bill Payment (Check)	22417	Vierbicher Associates, Inc.	21000 Accounts Payable (A/P)	-5,298.50
08/12/2026	Bill Payment (Check)	22418	Green County Highway Department	21000 Accounts Payable (A/P)	-157,072.62
08/12/2026	Bill Payment (Check)	22419	New Glarus Utilities	21000 Accounts Payable (A/P)	-161.23
08/12/2026	Bill Payment (Check)	22420	New Glarus Hardware	21000 Accounts Payable (A/P)	-50.92
08/12/2026	Bill Payment (Check)	22421	Engen Plumbing Service LLC	21000 Accounts Payable (A/P)	-13,212.50
08/12/2026	Bill Payment (Check)	22422	Visa	21000 Accounts Payable (A/P)	-822.13
08/12/2026	Bill Payment (Check)	22423	Cleary Building Corp	21000 Accounts Payable (A/P)	-10,500.00
08/12/2026	Bill Payment (Check)	22424	Auto Value New Glarus	21000 Accounts Payable (A/P)	-42.89
08/12/2026	Bill Payment (Check)	22425	Alliant Energy	21000 Accounts Payable (A/P)	-1,852.45
08/12/2026	Bill Payment (Check)	22426	Chalet Landhaus	21000 Accounts Payable (A/P)	-300.00
08/12/2026	Bill Payment (Check)	22427	Sugar River Valley Pheasants Forever	21000 Accounts Payable (A/P)	-260.00
08/12/2026	Bill Payment (Check)	22428	Pellitteri Waste Systems	21000 Accounts Payable (A/P)	-10,916.69
08/12/2026	Bill Payment (Check)	22429	Bjoin Limestone Inc	21000 Accounts Payable (A/P)	-156.20
08/12/2026	Bill Payment (Check)	22430	Blanchardville Co-op Oil Association	21000 Accounts Payable (A/P)	-1,322.83
08/12/2026	Bill Payment (Check)	22431	Finger Publishing, Inc	21000 Accounts Payable (A/P)	-134.55
08/12/2026	Bill Payment (Check)	22432	Carter & Gruenewald Co Inc	21000 Accounts Payable (A/P)	-1,245.15
08/12/2026	Bill Payment (Check)	22433	Wisconsin Stainless Welding, LLC	21000 Accounts Payable (A/P)	-2,575.00
08/12/2026	Bill Payment (Check)	22434	Vieth Consulting, LLC	21000 Accounts Payable (A/P)	-1,459.14
08/12/2026	Bill Payment (Check)	22435	Monson Septic & Portable Restrooms, LLC	21000 Accounts Payable (A/P)	-150.00
08/12/2026	Bill Payment (Check)	22436	Bureau of Correctional Enterprises	21000 Accounts Payable (A/P)	-17.59
08/12/2026	Bill Payment (Check)	22437	Edward Klitzke	21000 Accounts Payable (A/P)	-5,050.00
08/12/2026	Bill Payment (Check)	22438	Maz Electric	21000 Accounts Payable (A/P)	-18,000.00
08/12/2026	Bill Payment (Check)	22439	Diamond Mowers LLC	21000 Accounts Payable (A/P)	-395.80
08/12/2026	Bill Payment (Check)	22440	Homeland Heating & AC Inc	21000 Accounts Payable (A/P)	-35,357.00
08/12/2026	Bill Payment (Check)	22441	Symdon Ford of Monticello	21000 Accounts Payable (A/P)	-162.90
08/12/2026	Bill Payment (Check)	22442	Green County Solid Waste Management	21000 Accounts Payable (A/P)	-2,466.63
08/12/2026	Bill Payment (Check)	22443	New Horizons Supply Cooperative	21000 Accounts Payable (A/P)	-1,400.07
08/12/2026	Bill Payment (Check)	22444	Chris Narveson	21000 Accounts Payable (A/P)	-582.23
08/12/2026	Bill Payment (Check)	22445	Darla Kramer	21000 Accounts Payable (A/P)	-576.26
08/12/2026	Bill Payment (Check)	22446	General Code LLC	21000 Accounts Payable (A/P)	-1,295.00
08/12/2026	Bill Payment (Check)	22447	Kleen Pavement	21000 Accounts Payable (A/P)	-3,510.00
Total for 10000 DDA 2306 - 2 - 1					\$ -278,266.01



Town of New Glarus
Transaction Detail by Account
July 9 - August 11, 2026

DATE	TRANSACTION TYPE	NUM	NAME	SPLIT	AMOUNT
10000 DDA 2306 - 2 - 1					
07/20/2026	Bill Payment (Check)	22412	Cleary Building Corp	21000 Accounts Payable (A/P)	-
					125,705.00
07/30/2026	Bill Payment (Check)	22413	Cleary Building Corp	21000 Accounts Payable (A/P)	-19,994.00
07/30/2026	Bill Payment (Check)	22414	Hilliard Concrete & Excavating LLC	21000 Accounts Payable (A/P)	-36,187.50
07/13/2026	Expense		AT&T Mobility	51600-02 Other Financial Expenses:Town Hall Utilities	-109.94
07/14/2026	Expense		TDS	51600-02 Other Financial Expenses:Town Hall Utilities	-64.99
07/15/2026	Expense		Wi Department of Employee Trust Funds	21520 Retirement Deductions Payable (WRS)	-1,407.96
07/16/2026	Expense			21530 Health Insurance Deductions Payable	-5,307.16
07/20/2026	Expense		Organic Payroll	5140003 General Administrative:Software Maintenance Agreements	-69.00
07/20/2026	Expense		WE Energy	53270-02 Town Garage:Garage Utilities	-10.53
07/23/2026	Bill Payment (Check)		Visa	21000 Accounts Payable (A/P)	-805.66
07/31/2026	Expense		Spectrum	51600-02 Other Financial Expenses:Town Hall Utilities	-261.18
07/31/2026	Expense		Alliant Energy	53420 Street Lighting	-97.60
08/03/2026	Expense		Organic Payroll	5140003 General Administrative:Software Maintenance Agreements	-69.00
08/03/2026	Expense		Delta Dental	2153001 Health Insurance Deductions Payable:Health Insurance Deductions - Supp Dental	-18.16
Total for 10000 DDA 2306 - 2 - 1					\$ - 190,107.68

FINANCIAL REPORT FOR JULY 2026

Checking	\$20,178.20
Reserve Fund Balance	\$704,500.35
Total	\$724,678.55

Revenue	
State Transportation Aid	\$30,032.50
Exempt Computer Aid	\$56.12
WI Shared Revenue	\$9,682.68
Refuse/Recycling	\$960.00
Invoices Heil/ATV Club	\$1,037.68
Building Permits	\$951.80
Title Searches	\$25.00
Fire Number Installation	\$50.00
Interest	\$1,648.10

Total	\$44,443.88
--------------	--------------------

Monthly July Expenses	\$365,687.41
------------------------------	---------------------

Ending Balance

Checking	\$20,731.04
Reserve Fund Balance	\$410,248.45

Ending Balance Total	\$430,979.49	\$36,187.50	\$394,791.99 as of 08/10/26
-----------------------------	---------------------	-------------	-----------------------------

August Checks Expenses	\$278,266.01	
July to August ACH & Checks	\$190,107.68	already cleared
August Payroll Taxes	\$1,260.40	
August Delta Dental	\$18.16	
August Organic Payroll	\$69.00	

Monthly August Expenses	\$469,721.25
--------------------------------	---------------------

Outstanding Checks

22408	\$1,000.00
22411	\$50.00
22414	\$36,187.50 cleared Aug

\$37,237.50

Dear Town Clerk and Building Inspector,

I am writing to report a potential safety and building code concern within the Town of New Glarus. I respectfully request that this communication be treated anonymously as it could negatively impact my business.

I work in realty, and I have been showing houses in the Windmill Ridge development. There is an in-ground residential swimming pool at a property located at W5420 Windmill Ridge Rd., in the township that has been installed since last year (2025) without a visible safety barrier or fence. The pool area is accessible from neighboring properties, and I have had clients comment on the safety concerns with their children. There have been instances where the pool is completely visible and no one is outside at their residence.

Given that there are young children in nearby homes, and this neighborhood is seeing more houses on the market, there will continue to be more children. I am hoping your action may present a preventable safety risk by getting this promptly addressed. Residential pools are generally required to have barriers or protective measures to restrict unsupervised access in Wisconsin, and I have not noticed any present at this property multiple times this year. I know this directly impacted one of my clients from pursuing a neighboring property.

I respectfully request that the Town:

- Confirm whether a permit was issued for this pool installation,
- Verify whether the pool meets applicable safety requirements, and
- Take any appropriate action if needed to ensure compliance

Thank you for your attention to this matter and for your continued commitment to community safety.

Sincerely,
Concerned Realtor